

TECHNICAL BULLETIN

[1/4]

FA-A-0270-A

Changes in battery parts (A6BAT, A8BAT, A10BAT)

■Date of Issue

December 2018

■Relevant Models

A6BAT, A8BAT, A10BAT

Thank you for your continued support of Mitsubishi Electric programmable controllers.

The unit cells of the batteries will be changed to ensure the stable supply of the A6BAT, A8BAT, and A10BAT.

1 DETAILS ON THE CHANGES

The following will be changed due to the changes of the unit cells.

- · A6BAT: External appearance, label, lithium content
- · A8BAT, A10BAT: Lithium content

Note that these changes do not affect the battery lives.

The A6BAT, A8BAT, and A10BAT are used only for programmable controllers and motion controllers after changing unit cells. Do not use them for computerized numerical controllers (CNCs) or drive products (MELSERVO).


1.1 External Appearance

The external appearance will be changed as shown below.



1.2 Label

The label will be changed as shown below.



1.3 Lithium Content

The lithium content will be changed as shown below.

Model	Before change	After change
A6BAT	0.48g	0.52g
A8BAT	4.32g	4.68g
A10BAT	3.84g	4.16g

January 2019

VERSIONS AFTER CHANGE AND CHANGEOVER PERIOD

The changes will take place from the following versions.

Model	Version after change		Changeover	
	Production lot number	Production lot number location	period ^{*1}	
A6BAT	18-12 or later	The lot number on the label is located in the part outlined by the broken line. MITSUBISHI ELECTRIC CORPORATION WARNING RISK OF FIRE, EXPLOSION, AND BURNS. DO NOT RECHARGE, DISASSEMBLE, HEAT ABOVE 212°F, OR INCINERATE. ①警告】を電禁皿・検数・発火・悪波・発熱の原因となるので、ショート・分解・変形・加熱はんだ付け、火に入れるなとしない。電池を落下させたり、強い衝撃を与えたりしない。	January 2019	
Model	Version after change		Changeover	
	Hardware version	Hardware version location	period ^{*1}	
A8BAT	"B" or later	DATE field in the rating plate on the side of the	November 2019	
A10BAT	"B" or later	case	January 2019	

Depending on the stock situation, the products before change may be delivered even after the changeover period. We appreciate your kind understanding.

HOW TO DISTINGUISH

"B" or later

3.1 **A6BAT**

A10BAT

For the A6BAT, the battery after change can be distinguished by the model name of the unit cell on the label. When the transportation regulation information is required, check the following before requesting the information.

Item	Before change	After change	
Model	ER17330V	ER17/33	
Location on the label	MITSUBISHI LITHIUM BATTERY CER17330V/3.6V	MITSUBISHI ELECTRIC LITHIUM BATTERY © ER17/33 /3.6V	

A8BAT, A10BAT 3.2

For the A8BAT and A10BAT, the battery after change can be distinguished by the hardware version on the rating plate. When the transportation regulation information is required, check the following before requesting the information.

Item	Before change	After change
Hardware version	A	В

TECHNICAL BULLETIN

[4/4]

FA-A-0270-A

REVISIONS

Version	Date of Issue	Revision
A	December 2018	First edition