

# HALSAR



## FİYAT LİSTESİ





## BAKERLUX SHOP.PRO™ ARIANNA LED

Model	XEFT-04HS-ELD V
Kilit Türü	Manuel Kilit
Tepsi Kapasitesi	4* 460x330
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	3,45 KW
Boyutlar (GxDxY mm)	600x669x500
Ağırlık	39 kg

2.265 €



## BAKERLUX SHOP.PRO™ STEFANIA LED

Model	XEFT-03HS-ELD V
Kilit Türü	Manuel Kilit
Tepsi Kapasitesi	3* 460x330
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	3,45 KW
Boyutlar (WxDxH mm)	600x669x500
Ağırlık	36 kg

2.027 €



## MAYALAMA KABİNİ UNOX XEKPT-08HS-C

Bağlantı	220 v
Yönetim	Kontrol Paneli Yok
Tepsi Kapasitesi	8* 460x330
Sıcaklık	50 °C
Güç, kW	1.2
Ağırlık	35 Kg
Boyutlar (WxDxH mm)	600x711x750

1.580 €

\* Kontrol paneli olmaksızın 8 seviye 460x330 mm, MASTER, TOUCH, LED kontrol panelleri ile fırın dolapları BAKERLUX SHOP, Pro™ ile kullanım içindir.

## LINEMISS™ Dynamic Anna XF023



Kapasitesi	4* 460x330
Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N 50/60 Hz
Güç	3 kW
Boyutlar	600x587x472 mm
Ağırlık	22 kg

1.118 €



## UNOX DAVLUMBAZ XEKHT - HC HS

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.2
Boyutlar (WxDxH)	600x731x276

1.848 €

## LINEMISS™ Dynamic Roberta XF003



Kapasitesi	3* 342x242
Mesafe	70 mm
Voltaj ve Frekans	230 V ~ 1N 50/60 Hz
Güç	2,7 kW
Boyutlar	480x523x402 mm
Ağırlık	16 kg

969 €

## UNOX DAVLUMBAZ XEKHT - AC HS

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.1
Boyutlar (WxDxH)	600x731x205

1.729 €



### BAKERLUX SHOP.PRO™ROSSELLA LED

Model	XEFT-04EU-ELDV
Kilit Türü	Elektrikli Kilit
Tepsi Kapasitesi	4* 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	6,9 kW
Boyutlar (GxDxY mm)	800x811x502
Ağırlık	57 kg

3.681 €



### BAKERLUX SHOP.PRO™ROSSELLA MANUEL

Model	XFT193
Tepsi Kapasitesi	4* 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N / 400 V ~ 3N - 50/60 Hz
Elektrik Gücü	6,5 kW
Boyutlar (WxDxH mm)	800x774x509
Ağırlık	49 kg

2.623 €



### MAYALAMA KABİNİ™ROSSELLA LED, XEKPT - 08EU - C

Bağlantı	220 v
Yönetim	Kontrol Paneli Yok
Tepsi Kapasitesi	8* 600x400
Sıcaklık	50 °C
Güç, kW	1,2
Ağırlık	37 Kg
Boyutlar (WxDxH mm)	800x792x750

1.967 €



### MAYALAMA KABİNİ™ROSSELLA MANUEL, XLT193

Bağlantı	230 v - 50/60
Tepsi Ara Mesafe	70 mm
Tepsi Kapasitesi	8* 600x400
Sıcaklık	70 °C
Güç, kW	1,2
Ağırlık	37 Kg
Boyutlar (WxDxH mm)	800x713x757

1.952 €

\* "XLT193" Mayalama kabini sadece "XFT193" Model fırında kullanılır.



### HAVA AZALTMA KİTİ XC 606



42 €

### UNOX DAVLUMBAZ XEKHT - HCEU

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.2
Boyutlar (WxDxH)	800x863x276

2.072 €

### UNOX DAVLUMBAZ XEKHT - ACEU

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.1
Boyutlar (WxDxH)	800x863x205

1.982 €



## BAKERLUX SHOP.PRO™ VITTORIA LED

Model	XEFT-06EU-ELRV
Kilit Türü	Manuel Kilit
Tepsi Kapasitesi	6* 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	10,3 kW
Boyutlar (GxDxY mm)	800x811x682
Ağırlık	72 kg

5.513 €



## BAKERLUX SHOP.PRO™ CAMILLA LED

Model	XEFT-10EU-ELRV
Kilit Türü	Manuel Kilit
Tepsi Kapasitesi	10* 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	15,5 kW
Boyutlar (WxDxH mm)	800x811x952
Ağırlık	96 kg

7.748 €



## MAYALAMA KABİNİ UNOX XEKPT-08EU-C

Bağlantı	220 V ~ 1N - 50/60 Hz
Yönetim	Kontrol Paneli Yok
Tepsi Kapasitesi	8* 600x400
Güç, kW	1.2
Ağırlık	37 Kg
Boyutlar (WxDxH mm)	800x792x750

1.967 €

\* Kontrol Paneli olmaksızın, MASTER, TOUCH, LED kontrol panelleri ile fırın dolapları BAKERLUX SHOP, Pro™ ile kullanım içindir.



## MAYALAMA KABİNİ UNOX XEKPT-10EU-C

Bağlantı	220 V ~ 1N - 50/60 Hz
Yönetim	Kontrol Paneli Yok
Tepsi Kapasitesi	10* 600x400
Güç, kW	1.2
Ağırlık	42 Kg
Boyutlar (WxDxH mm)	800x792x886

2.146 €

\* Kontrol Paneli olmaksızın, MASTER, TOUCH, LED kontrol panelleri ile fırın dolapları BAKERLUX SHOP, Pro™ ile kullanım içindir.



## UNOX DAVLUMBAZ XEKHT - HCEU

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.2
Boyutlar (WxDxH)	800x863x276

2.072 €

## UNOX DAVLUMBAZ XEKHT - ACEU

Verimlilik, m <sup>3</sup> / h	550, 750
Hava Kanalı Çapı mm	121
Güç, kW	0.1
Boyutlar (WxDxH)	800x863x205

1.982 €



### 16 600x400

Model	<b>XB 1083</b>
Tepsi Ara Mesafe	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü Gaz	29,7 kW
Tüketim Ölçüsü	-
Boyutlar WxDxH (mm)	866x997x1863
Ağırlık	177 kg
Fiyatı	<b>15.794 €</b>



### 10 600x400

Model	<b>XB 893</b>	<b>XB 813 G</b>
Tepsi Ara Mesafe	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	15,8 kW	1 kW
Tüketim Ölçüsü	-	G20, G30: 20 kW / G25: 17
Boyutlar WxDxH (mm)	860x882x1250	860x882x1464
Ağırlık	112 kg	134 kg
Fiyatı	<b>7.748 €</b>	<b>9.760 €</b>



### 6 600x400

Model	<b>XB 693</b>	<b>XB 613 G</b>
Tepsi Ara Mesafe	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	10,5 kW	0,7 kW
Tüketim Ölçüsü	-	G20, G30: 17,5 kW / G25: 14,6
Boyutlar WxDxH (mm)	860x882x930	860x882x1144
Ağırlık	80 kg	108 kg
Fiyatı	<b>5.364 €</b>	<b>7.078 €</b>



### XL413

Bağlantı	230 V ~ 1N - 50/60 Hz	
Tepsi Ara Mesafe	75 mm	
Tepsi Kapasitesi	12* 600x400	
Güç, kW	2,4 kW	<b>2.951 €</b>
Sıcaklık	70 °C	
Ağırlık	38 Kg	
Boyutlar (WxDxH mm)	862x890x805	



## 16 600x400 PLUS & ONE

	PLUS	PLUS	ONE
Model	XEBL-16EU-YPRSM	XEBL-16EU-GPRSM	XEBL-16EU-E1RS
Tepsi Ara Mesafe	80 mm	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	380-415 V ~ 3PH+N+PE - 50/60 Hz
Elektrik Gücü	38,5 kW	2,8 kW	29,3 kW
Maximum Gaz Gücü	-	55 kW	-
Boyutlar WxDxH (mm)	892x1018x1875	892x1018x1875	892x1018x1875
Ağırlık	250 kg	269 kg	262 kg
Fiyatı	<b>29.800 €</b>	<b>33.823 €</b>	<b>21.605 €</b>

## XEBPC-16EU-D

Prover with **BakerTouch** integrated control

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,4 kW
Maksimum Sıcaklık	50 °C
Boyutlar (WxDxH mm)	866x950x1879
Ağırlık	100 Kg
Fiyatı	?



## XEBPC-16EU-M

Prover with manual control

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,4 kW
Maksimum Sıcaklık	70 °C
Boyutlar (WxDxH mm)	866x950x1879
Ağırlık	100 Kg
Fiyatı	?



## XEAHL-HCFL

Hood with steam condenser  
(Only for electric ovens)

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	100 W
Hava Kanalı Çapı	121 mm
Min. & Maks. Hava Akımı	310 m³/h - 390 m³/h
Boyutlar (WxDxH mm)	882x1132x240
Ağırlık	30 Kg
Fiyatı	<b>2.608 €</b>



## XEBTL-16EU

Trolley

Modeller	XEBC-16EU-EPR / XEBC-16EU-GPR / XEBPC-16EU-D / XEBPC-16EU-D /
Tepsi Kapasitesi	16 600x400
Tepsi Ara Mesafe	80 mm
Boyutlar (WxDxH mm)	730x555x1790
Ağırlık	25 Kg
Fiyatı	<b>2.325 €</b>



## 10 600x400 PLUS & ONE

	PLUS	PLUS	ONE
Model	XEBC-10EU-EPRM	XEBC-10EU-GPRM	XEBC-10EU-E1RM
Tepsi Ara Mesafe	80 mm	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	21 kW	1,4 kW	14,9 kW
Maximum Gaz Gücü	-	G20, G25, G25.1, G30, G31:25 KW	-
Boyutlar WxDxH (mm)	860x957x1163	860x957x1163	860x957x1163
Ağırlık	130 kg	145 kg	130 kg
Fiyatı	<b>16.986 €</b>	<b>17.880 €</b>	<b>12.665 €</b>





### 6 600x400 PLUS & ONE

	PLUS	PLUS	ONE
Model	XEBC-06EU-EPRM	XEBC-06EU-GPRM	XEBC-06EU-E1RM
Tepsi Ara Mesafe	80 mm	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	14 kW	1 kW	9,9 kW
Maximum Gaz Gücü	-	G20, G25, G25.1, G30, G31: 19KW	-
Boyutlar WxDxH (mm)	860x957x843	860x957x843	860x957x843
Ağırlık	100 kg	110 kg	100 kg
Fiyatı	<b>11.920 €</b>	<b>12.963 €</b>	<b>8.717 €</b>



### 4 600x400 PLUS & ONE

	PLUS	ONE
Model	XEBC-04EU-EPRM	XEBC-04EU-E1RM
Tepsi Ara Mesafe	80 mm	80 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	10,6 kW	7,4 kW
Boyutlar WxDxH (mm)	860x957x675	860x957x675
Ağırlık	85 kg	85 kg
Fiyatı	<b>8.493 €</b>	<b>7.003 €</b>

### DECKTOP XEBDC-02EU-D

With BakerTouch integrated control

Tepsi Kapasitesi	2 600x400
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	5,7 kW
Boyutlar (WxDxH mm)	860x1150x400
Ağırlık	100 Kg
Fiyatı	<b>5.513 €</b>



### DECKTOP XEBDC-02EU-C

Digitally Controlled only by the MASTER Touch Control

Tepsi Kapasitesi	2 600x400
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	5,7 kW
Boyutlar (WxDxH mm)	860x1150x400
Ağırlık	100 Kg
Fiyatı	<b>4.619 €</b>



### DECKTOP XEBDC-01EU-D

With BakerTouch integrated control

Tepsi Kapasitesi	1 600x400
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,7 kW
Boyutlar (WxDxH mm)	860x880x400
Ağırlık	62 Kg
Fiyatı	<b>4.992 €</b>



### DECKTOP XEBDC-01EU-C

Digitally Controlled only by the MASTER Touch Control

Tepsi Kapasitesi	1 600x400
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,7 kW
Boyutlar (WxDxH mm)	860x880x400
Ağırlık	62 Kg
Fiyatı	<b>4.172 €</b>



### XEBPC-12EU-B

New prover with faster steam generation and precise temperature management

Tepsi Kapasitesi	12 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,3 kW
Maksimum Sıcaklık	50 °C
Boyutlar (WxDxH mm)	860x978x658
Ağırlık	40 Kg
Fiyatı	<b>3.278 €</b>



### XEBPC-08EU-B

New prover with faster steam generation and precise temperature management

Tepsi Kapasitesi	8 600x400
Tepsi Ara Mesafe	75 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,3 kW
Maksimum Sıcaklık	50 °C
Boyutlar (WxDxH mm)	860x978x658
Ağırlık	35 Kg
Fiyatı	<b>3.129 €</b>



### XEAHL-HCFL



Hood with steam condenser  
(Only for electric ovens)

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	100 W
Hava Kanalı Çapı	121 mm
Min. & Maks. Hava Akımı	310 m <sup>3</sup> /h - 390 m <sup>3</sup> /h
Boyutlar (WxDxH mm)	882x1132x240
Ağırlık	30 Kg
Fiyatı	<b>2.608 €</b>





## 20 GN 2/1

	 PLUS	 PLUS
Model	XEVL-2021-YPRS	XEVL-2021-GPRS
Tepsi Ara Mesafe	67 mm	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	65 kW	2,5 kW
Maximum Gaz Gücü	-	2,5 KW
Boyutlar WxDxH (mm)	892x1257x1875	892x1257x1875
Ağırlık	283 kg	230 kg
Fiyatı	<b>39.634 €</b>	<b>44.626 €</b>

## XEVTL-2021

Trolley

Kapasite	20 GN 2/1
Tepsi Ara Mesafe	67 mm
Boyutlar (WxDxH mm)	743x783x1717
Ağırlık	72 Kg
Fiyatı	<b>2.861 €</b>



## XEVTL-102P

Mobile PlateTrolley

Tepsi Kapasite	102
Kapasite	20 GN 2/1
Maksimum Yemek Çapı	310 mm
Minimum Yemek Çapı	210 mm
Boyutlar (WxDxH mm)	743x784x1711
Ağırlık	65 Kg
Fiyatı	<b>3.651 €</b>





## XEVTL-2011

Trolley



Tepsi Kapasite	102
Tepsi Ara Mesafe	67 mm
Kapasite	20 GN 1/1
Boyutlar (WxDxH mm)	776x615x1741
Ağırlık	31 Kg
Fiyatı	<b>2.429 €</b>



## 10 GN 2/1

	 PLUS	 PLUS
Model	XEVC-1021-EPRM	XEVC-1021-GPRM
Tepsi Ara Mesafe	77 mm	77 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	30,8 kW	1,4 KW
Tüketim Ölçüsü	-	G20, G25, G25.1: 33kW / G30, G31: 35 kW
Boyutlar WxDxH (mm)	860x1120x1163	860x1120x1163
Ağırlık	170 kg	190 kg
Fiyatı	<b>23.393 €</b>	<b>25.628 €</b>

## 6 GN 2/1

	 PLUS	 PLUS
Model	XEVC-0621-EPRM	XEVC-0621-GPRM
Tepsi Ara Mesafe	77 mm	77 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	20,5 kW	1 KW
Tüketim Ölçüsü	-	G20, G25.1, G31: 24kW / G25: 23kW, G30: 25 kW
Boyutlar WxDxH (mm)	860x1120x843	860x1120x843
Ağırlık	160 kg	180 kg
Fiyatı	<b>17.135 €</b>	<b>19.147 €</b>



## XEVHC-HC21

Hood with steam condenser (Only for electric ovens)

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	100 W
Hava Kanalı Çapı	121 mm
Min. & Maks. Hava Akımı	310 m <sup>3</sup> /h - 390 m <sup>3</sup> /h
Boyutlar (WxDxH mm)	882x1132x240
Fiyatı	<b>3.189 €</b>







	PLUS	PLUS	ONE
<b>20 GN1/1 PLUS &amp; ONE</b>			
Model	XEVL-2011-YPRS	XEVL-2011-GPRS	XEVL-2011-E1RS
Tepsi Ara Mesafe	67 mm	67 mm	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	220-240 V 3PH+PE / 380-415 V 3PH+N+PE - 50/60 Hz
Elektrik Gücü	38,5 kW	2,8 kW	29,3 kW
Maximum Gaz Gücü	-	G20, G30, G31: 34kW / G25, G25.1: 33kW	-
Boyutlar WxDxH (mm)	892x1018x1875	892x1018x1875	892x1018x1875
Ağırlık	250 kg	269 kg	262 kg
Fiyatı	<b>29.502 €</b>	<b>33.376 €</b>	<b>21.158 €</b>



	PLUS	PLUS	ONE
<b>10 GN1/1 PLUS &amp; ONE</b>			
Model	XEVC-1011-EPRM	XEVC-1011-GPRM	XEVC-1011-E1RM
Tepsi Ara Mesafe	67 mm	67 mm	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	18,5 kW	1 kW	14 kW
Maximum Gaz Gücü	-	G20, G25.1, G30, G31: 22kW / G25: 21kW	-
Boyutlar WxDxH (mm)	750x773x1010	750x773x1010	750x773x1010
Ağırlık	95 kg	110 kg	95 kg
Fiyatı	<b>15.794 €</b>	<b>17.359 €</b>	<b>11.324 €</b>



	PLUS	PLUS	ONE
<b>7 GN1/1 PLUS &amp; ONE</b>			
Model	XEVC-0711-EPRM	XEVC-0711-GPRM	XEVC-0711-E1RM
Tepsi Ara Mesafe	67 mm	67 mm	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	400 V ~ 3N - 50/60 Hz
Elektrik Gücü	11,7 kW	1 kW	9,9 kW
Maximum Gaz Gücü	-	G20, G25, G25.1, G30, G31: 19kW	-
Boyutlar WxDxH (mm)	750x773x843	750x773x843	750x773x843
Ağırlık	85 kg	100 kg	85 kg
Fiyatı	<b>11.846 €</b>	<b>12.814 €</b>	<b>8.940 €</b>

### XEVHC-HC11

Hood with steam condenser (Only for electric ovens)



Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz	
Elektrik Gücü	100 W	
Hava Kanalı Çapı	121 mm	<b>2608 €</b>
Min. & Maks. Hava Akımı	310 m <sup>3</sup> /h - 390 m <sup>3</sup> /h	
Boyutlar (WxDxH mm)	868x1159x240	



## 5 GN 1/1

	PLUS	PLUS	ONE
Model	XEVC-0511-EPRM	XEVC-0511-GPRM	XEVC-0511-E1RM
Tepsi Ara Mesafe	67 mm	67 mm	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz	230 V ~ 1N - 50/60 Hz	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	9,3 kW	0,6 kW	7 kW
Maximum Gaz Gücü	-	G20, G25, G25.1, G30, G31:15 kW	-
Boyutlar WxDxH (mm)	750x773x675	750x773x675	750x773x675
Ağırlık	70 kg	85 kg	70 kg
Fiyatı	<b>8.344 €</b>	<b>9.909 €</b>	<b>6.854 €</b>

## 3 GN 1/1



	ONE
Model	XEVC-0311-E1RM
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	5 kW
Maximum Gaz Gücü	-
Boyutlar WxDxH (mm)	750x773x538
Ağırlık	50 kg
Fiyatı	<b>5.811 €</b>



## 5 GN 2/3

	ONE
Model	XECC-0523-EIRM
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz
Elektrik Gücü	5,2 kW
Maximum Gaz Gücü	-
Boyutlar WxDxH (mm)	535x662x649
Ağırlık	55 kg
Fiyatı	<b>6.854 €</b>

## XEVHC-HC11



Hood with steam condenser (Only for electric ovens)

Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz	
Elektrik Gücü	100 W	
Hava Kanalı Çapı	121 mm	<b>2.608 €</b>
Min. & Maks. Hava Akımı	310 m <sup>3</sup> /h - 390 m <sup>3</sup> /h	
Boyutlar (WxDxH mm)	750x956x240	

## CLEANING AGENTS



### DET&Rinse™ PLUS

Extra strong oven detergent & rinsing agent for BAKERTOP MIND. Maps™ ovens. Double concentrate (10lt of DET&Rinse™ PLUS = 18lt of traditional oven detergent) UN 1814, 8, II - ADR LIMITED QUANTITY 1lt x 10. One box contains n° 10 x 1 litre tanks.

**DB1015** **193 €**  
Single box purchase



### DET&Rinse™ ECO

ECO friendly double concentrate detergent & rinsing agent for BAKERTOP MIND. Maps™ ovens. Double concentrate (10lt of DET&Rinse™ ECO = 18lt of traditional oven detergent) UN 1814, 8, II - ADR LIMITED QUANTITY 1lt x 10. One box contains n° 10 x 1 litre tanks.

**DB1018** **196 €**  
Single box purchase



### DET&Rinse™

For BAKERTOP S5E ovens UN 1814, 8, III - ADR LIMITED QUANTITY 5 lt x 2 One box contains n° 2 x 5 litre tanks

**DB1016** **154 €**  
Single box purchase



### SPRAY&Rinse

Spray detergent for BAKERLUX™ ovens. One box contains n° 12 x 750 ml spray bottles. Trash the bottle once you have used the product.

**DB1044** **183 €**  
Single box purchase



### 10 GN 1/1

ZERO

Model	<b>XEVC-1011-EZRM</b>
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü Gaz	18,5 kW
Tüketim Ölçüsü	-
Boyutlar WxDxH (mm)	750x783x1010
Ağırlık	90 kg
Fiyatı	<b>8.940 €</b>

\* Left-to-right door opening: XEVC-1011-EZLM - Additional price 300,00 €

\* Lateral supports pitch can be customized under specific request. Additional price 200,00 €



### 7 GN 1/1

ZERO

Model	<b>XEVC-0711-EZRM</b>
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	400 V ~ 3N - 50/60 Hz
Elektrik Gücü Gaz	11,7 kW
Tüketim Ölçüsü	-
Boyutlar WxDxH (mm)	750x783x843
Ağırlık	80 kg
Fiyatı	<b>6.631 €</b>

\* Left-to-right door opening: XEVC-0711-EZLM - Additional price 300,00 €

\* Lateral supports pitch can be customized under specific request. Additional price 200,00 €

\* 220 V~1PH+N+PE Connection kit: Art. XUC129 - Price 22,00 €


































### 5 GN 1/1

ZERO

Model	<b>XEVC-0511-EZRM</b>	ZERO	<b>XEVC-0511-EZRM</b>
Tepsi Ara Mesafe	67 mm		67 mm
Voltaj ve Frekans	230 V ~ 1N - 50/60 Hz		230 V ~ 1N - 50/60 Hz
Elektrik Gücü Gaz	9,3 kW		7 kW
Tüketim Ölçüsü	-		-
Boyutlar WxDxH (mm)	750x783x675		750x783x675
Ağırlık	64 kg		64 kg
Fiyatı	<b>5.066 €</b>		<b>5.066 €</b>

\* Left-to-right door opening: XEVC-0511-EZLM / XEVC-0511-EZLM-LP - Additional price 300,00 €

\* Lateral supports pitch can be customized under specific request. Additional price 200,00 €

	<b>COOKING ESSENTIALS START-UP SET</b> The kit contains n°1 GRP815, TG936, TG885, TG970, TG895	<b>XUC018</b>	<b>900 €</b>
	<b>FAIRO™</b> Ribbed-flat aluminium plate for pizza and focaccia h 12 mm. Not compatible with XECC-1013-EPRM/XECC-0513-EPRM ovens h 12 mm	<b>TG875</b>	<b>209 €</b>
	<b>STEAM</b> Stainless steel grid for steaming. h 40 mm	<b>GRP815</b>	<b>132 €</b>
	<b>POLLO.BLACK</b> Non-stick stainless steel grid to grill 8 chickens. h 167 mm	<b>GRP825</b>	<b>236 €</b>
	<b>POLLO.WASH washing basket</b> Enables you to wash three POLLO.BLACK grills in the oven during its normal wash cycle. h 27 mm	<b>GRP860</b>	<b>200 €</b>
	<b>POLLO.GRILL</b> Stainless steel grid to grill 3 open chickens. h 27 mm	<b>GRP840</b>	<b>154 €</b>
	<b>EGGS 6x2</b> Non-stick aluminium pan designed to perfectly fry up to 12 eggs (2 in each cavity) in less than 4 minutes. h 16 mm.	<b>TG935</b>	<b>164 €</b>
	<b>EGGS 8x1</b> Non-stick aluminium pan designed to perfectly fry up to 8 eggs in less than 3 minutes. h 16 mm	<b>TG936</b>	<b>197 €</b>
	<b>BACON.40</b> Pan for bacon with fat collection. h 41 mm	<b>TG945</b>	<b>215 €</b>
	<b>GRILL</b> Non-stick aluminium pan for grilling. h 37 mm	<b>TG885</b>	<b>206 €</b>
	<b>FAIRO.GRILL</b> Non-stick ribbed-flat aluminium plate for grilling. h 12 mm	<b>TG870</b>	<b>287 €</b>
	<b>SUPER.GRILL</b> Non-stick ribbed aluminium plate for grilling food to be load on additional grid GRP 970 for convenient load of batches. TG 970 h 28 mm - GRP 970 h 40 mm	<b>TG970</b>	<b>298 €</b>
	<b>Stainless steel grid with handles for easy loading</b> Additional grid for the model TG970; h 40 mm.	<b>GRP970</b>	<b>71 €</b>
	<b>PAN.FRY</b> Enamel coated pan for frying. h 20 mm	<b>TG905</b>	<b>85 €</b>
	<b>FORO.BLACK</b> Non-stick perforated aluminium pan for pastry and bakery products. h 15 mm	<b>TG890</b>	<b>103 €</b>
	<b>BLACK.20</b> Non-stick stainless steel pan. h 20 mm	<b>TG895</b>	<b>135 €</b>
	<b>BLACK.40</b> Non-stick stainless steel pan. h 40 mm	<b>TG900</b>	<b>136 €</b>
	<b>FORO.SILICO</b> Silicone coated perforated aluminium pan for pastry and bakery products. h 12 mm	<b>TG975</b>	<b>65 €</b>
<b>GN 1/1</b> ACCESSORIES FOR TRAYS			
	<b>FORO.SILICO</b> Capacità: 21 GN 1/1 - Distanza: 70 mm Dimensioni: 450x608x1700 WxDxH mm Peso: 10 Kg	<b>XTB0002</b>	<b>1.476 €</b>
	<b>FAIRO™</b> Aluminium plate for pizza and focaccia. h 37 mm	<b>TG715</b>	<b>129 €</b>
	<b>STEAM</b> Stainless steel grid for steaming. h 30 mm	<b>GRP710</b>	<b>114 €</b>
	<b>POLLO.BLACK</b> Non-stick stainless steel grid to grill 4 chickens. h 140 mm	<b>GRP715</b>	<b>178 €</b>
	<b>GRILL</b> Enamel coated pan for grilling. h 37 mm	<b>TG720</b>	<b>178 €</b>
	<b>PAN.FRY</b> Enamel coated pan for frying. h 20 mm	<b>TG735</b>	<b>75 €</b>
	<b>FORO.BLACK</b> Non-stick perforated aluminium pan for pastry and bakery products. h 15 mm	<b>TG730</b>	<b>?</b>
<b>PANS &amp; GRIDS</b> FOR CHEFTOP MIND.MAPS™ & CHEFLUX™ GN 1/1			
	<b>Stainless steel pan</b> h 20 mm	<b>TG805</b>	<b>67 €</b>
	h 40 mm	<b>TG815</b>	<b>78 €</b>
	h 65 mm	<b>TG825</b>	<b>85 €</b>
	<b>Perforated stainless steel pan</b> h 20 mm	<b>TG810</b>	<b>70 €</b>
	h 40 mm	<b>TG820</b>	<b>75 €</b>
	h 65 mm	<b>TG830</b>	<b>78 €</b>
	<b>Flat stainless steel grid</b> h 16 mm	<b>GRP806</b>	<b>53 €</b>
<b>PANS &amp; GRIDS</b> FOR CHEFTOP MIND.MAPS™ GN 2/3			
	<b>Stainless steel pan</b> h 40 mm	<b>TG705</b>	<b>57 €</b>
	<b>Perforated stainless steel pan</b> h 40 mm	<b>TG710</b>	<b>64 €</b>
	<b>Flat stainless steel grid</b> h 15 mm	<b>GRP705</b>	<b>42 €</b>

### FORO.BAKE

Perforated aluminium pan for pastry and bakery products; h 15 mm. Can only be ordered in multiples of 2 pieces.



| 600x400 | TG410 | 56 €

| 460x330 | TG310 | 36 €

### FORO.BLACK

Non-stick perforated aluminium pan for pastry and bakery products; h 15 mm. Can only be ordered in multiples of 2 pieces.



| 600x400 | TG430 | 72 €

| 460x330 | TG330 | 48 €

### FAKIRO™

Aluminium plate with 2 sides: flat side to bake, toast and regenerate pizza, focaccia and bread. Ribbed side to bake, toast and regenerate frozen pizza and focaccia. The ribbed side allows to evacuate the extra humidity produced during the defrosting process; h 13 mm.



| 600x400 | TG440 | 222 €

| 460x330 | TG335 | 128 €

### FAKIRO.GRILL

Non stick aluminium plate with 2 sides: flat side to bake, toast and fresh pizza, focaccia and bread. Ribbed side to bake, toast and regenerate frozen pizza and focaccia. The non-stick coating prevent burnt food stick on the tray. The ribbed side allows to evacuate the extra humidity produced during the defrosting process; h 13 mm.



| 600x400 | TG465 | 336 €

### BAGUETTE.GRID

Chromium grid for pre-cooked baguettes or midi-baguettes. The light structure permits huge amount of heat and air on the food for a quicker baking process; h 27 mm



| 600x400 | GRP410 | 48 €

| 460x330 | GRP310 | 42 €

### FORO.BAGUETTE

5 channels aluminium tray for pre-cooked frozen baguettes or midi-baguettes; h 34 mm.



| 600x400 | TG445 | 78 €

### FORO.BAGUETTE.BLACK

5 channels non-stick aluminium tray for fresh baguettes or midi-baguettes; h 24 mm.



| 600x400 | TG435 | 96 €

### BAKE.BLACK

Non-stick aluminum tray; h 15,5 mm. Can only be ordered in multiples of 2 pieces.



| 600x400 | TG460 | 64 €

### BAKE 600x400

Aluminium pan; h 15 mm. Can only be ordered in multiples of 2 pieces.



| 600x400 | TG405 | 48 €

### BAKE 460x330

Aluminium pan; h 11 mm. Can only be ordered in multiples of 2 pieces.



| 460x330 | TG305 | 29 €

### STEEL BAKE

Stainless steel pan; h 20 mm.



| 600x400 | TG450 | 120 €

### PAN.FRY

Enamelled pan; h 20 mm.



| 460x330 | TG350 | 64 €

### CHROMO GRID

Flat chromium plated wire grid, h 14 mm.



| 600x400 | GRP405 | 38 €

| 460x330 | GRP305 | 29 €

### FORO.SILICO

Silicone coated perforated aluminium pan for pastry and bakery products; h 9 mm.



| 600x400 | TG415 | 72 €

| 460x330 | TG315 | ?


## ACCESSORIES FOR TRAYS



### Tray Trolley

Capacity: 18 400x600  
Pitch: 80 mm  
Dimensions: 526x695x1700 WxDxH mm  
Weight: 15 Kg

| 400x600 | XT B0003 | 1.475 €



### Tray Trolley

Capacity: 18 600x400  
Pitch: 80 mm  
Dimensions: 726x495x1701 WxDxH mm  
Weight: 15 Kg

| 600x400 | XT B0005 | 1.475 €

## CLEANING AGENT



### SPRAY&Rinse

Spray detergent for BAKERLUX SHOP.Pro™ ovens. One box contains n° 12 x 750 ml spray bottles. Trash the bottle once you have used the product.

| DB1044 | 166 €



## EVEREO 600 10 GN1/1

Kapasite	10 GN1/1
Porsiyon Kapasitesi	200 Porsiyon
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	220-240 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,9 kW
Boyutlar (GxDxY mm)	750x618x916
Ağırlık	91,5 kg
Fiyatı	<b>10.877 €</b>



## EVEREO 900 10 GN1/1

Kapasite	10 GN1/1
Porsiyon Kapasitesi	200 Porsiyon
Tepsi Ara Mesafe	67 mm
Voltaj ve Frekans	220-240 V ~ 1N - 50/60 Hz
Elektrik Gücü	2,9 kW
Boyutlar (GxDxY mm)	535x888x916
Ağırlık	75 kg
Fiyatı	<b>10.877 €</b>



## EVEREO CUBE 10 GN1/1

Kapasite	10 460x330
Porsiyon Kapasitesi	80 Porsiyon
Tepsi Ara Mesafe	28 mm
Voltaj ve Frekans	220-240 V ~ 1N - 50/60 Hz
Elektrik Gücü	1,5 kW
Boyutlar (GxDxY mm)	600x632x590
Ağırlık	75 kg
Fiyatı	<b>5.364 €</b>

## 600x400 PLUS & ONE

BAKERTOP MIND.Maps™ ACCESSORIES.

	<b>Single unit installation kit:</b> Contains water drain, fittings, pipe U-trap and connections.	<b>XUC001</b>	<b>301 €</b>		<b>Hood with steam condenser</b> (only for electric ovens) Voltage: 230 V - 1N - Frequency: 50 / 60 Hz - Electrical power: 100 W Exhaust chimney diameter: 121 mm - Min. air flow: 310 m <sup>3</sup> /h - Max. air flow: 390 m <sup>3</sup> /h - Dimensions: 860x1145x240 WxDxH mm - Weight: 25 Kg	<b>XEBHC-HCEU</b>	<b>2.727 €</b>
	<b>Single unit installation kit:</b> Contains water drain, fittings, pipe U-trap, connections and 1 liter of DET&Rinse™ PLUS to immediately start to work. Contains chemical detergent UN 1814, 8, II - ADR LIMITED QUANTITY	<b>XUC001-DR</b>	<b>301 €</b>		<b>Activated carbon filter</b> Activated carbon filter for hood with steam condenser to further eliminate strong odors. Compatible with: XEBHC-HCEU - Dimensions: 413x655x108 WxDxH mm Weight: 11 Kg	<b>XUC140</b>	<b>738 €</b>
	<b>Double stack installation kit for electric ovens:</b> Contains steel components, water drain, U-trap and all the necessary fittings to install double-stack electric ovens.	<b>XEAQC-00E2-E</b>	<b>634 €</b>		<b>Waterless hood</b> (only for electric ovens) Compatible with: XEBC-10EU-EPRM/ XEBC-06EU-EPRM/ XEBC-04EU-EPRM Voltage: 230 V - 1N Frequency: 50 / 60 Hz - Electrical power: 125 W Dimensions: 860x1000x217 WxDxH mm - Weight: 20 Kg	<b>XEBHC-ACEU</b>	<b>2.727 €</b>
	<b>Double stack installation kit for electric ovens:</b> Contains steel components, water drain, U-trap and all the necessary fittings to install double-stack electric ovens plus two bottles (2L) of DET & Rinse™ PLUS detergent. Contains chemical detergent UN 1814, 8, II - ADR limited quantity.	<b>XEAQC-00E2-E-DR</b>	<b>634 €</b>		<b>Gas exhausts collection for gas ovens</b> Exhaust chimney diameter: 150 mm Dimensions: 478x254x150 WxDxH mm - Weight: 3,5 kg	<b>XUC070</b>	<b>215 €</b>
	<b>Double stack installation kit for gas ovens:</b> Contains steel components, water drain, U-trap and all the necessary fittings to install double-stack gas ovens. XEBC-06EU-GP*M (bottom) + XEBC-06EU-GP*M (top).	<b>XEAQC-00E2-G</b>	<b>634 €</b>		<b>Neutral cabinet</b> Capacity: 8 600x400 - Pitch: 57 mm Dimensions: 860x860x720 WxDxH mm - Weight: 35 Kg	<b>XWAEAC-08EF</b>	<b>1.610 €</b>
	<b>DET&amp;Rinse PLUS tank holder for MAXI.Link columns with DeckTop or Intermediate stand:</b> OVEN + DECKTOP + PROVER, OVEN + INTERMEDIATE STAND + PROVER	<b>XUC060</b>	<b>310 €</b>		<b>SMART.Drain manual kit for neutral cabinet and high open stand</b> Compatible with: XWAEAC-08EF/ XWARC-07EF-H, compatible with PLUS ovens only	<b>XUC020</b>	<b>902 €</b>
	<b>Double stack installation kit for MAXI.Link column:</b> DECKTOP + OVEN Includes all parts and connections for stacking.	<b>XUC061</b>	<b>783 €</b>		<b>Ultra high open stand with lateral supports</b> Recommended for: XEBC-04EU-EPRM/XEBC-04EU-E1RM Dimensions: 842x804x888 WxDxH mm Capacity: 7 600x400 - Pitch: 60 mm - Weight: 35 Kg	<b>XWARC-07EF-UH</b>	<b>1.237 €</b>
	<b>Double stack installation kit for MAXI.Link columns:</b> PROVER + DECKTOP (1 600x400) or DECKTOP (1 600x400) + DECKTOP (1 600x400) Includes all parts and connections for stacking.	<b>XUC062</b>	<b>783 €</b>		<b>High open stand with lateral supports</b> Dimensions: 842x713x752 WxDxH mm Capacity: 7 600x400 - Pitch: 60 mm - Weight: 33 Kg	<b>XWARC-07EF-H</b>	<b>1148 €</b>
	<b>Lateral support for GN 1/1 pans</b> Compatible with: XEBC-04EU (Capacity: 4 GN 1/1 - Pitch: 80 mm)	<b>XUC050</b>	<b>364 €</b>		<b>Lateral support for stand</b> Compatible with: Art.: XWARC-00EF-H / Art.: XWARC-00EF-UH Capacity: 7 600x400 - Pitch: 60 mm - Weight: 3 Kg	<b>XWALC-07EF-H</b>	<b>221 €</b>
	Compatible with: XEBC-06EU (Capacity: 6 GN 1/1 - Pitch: 80 mm)	<b>XUC051</b>	<b>364 €</b>		<b>Intermediate open stand</b> Dimensions: 842x713x462 WxDxH mm - Weight: 9 Kg	<b>XWARC-00EF-M</b>	<b>731 €</b>
	Compatible with: XEBC-10EU (Capacity: 10 GN 1/1 - Pitch: 80 mm)	<b>XUC052</b>	<b>364 €</b>		<b>Low open stand</b> Dimensions: 842x713x305 WxDxH mm Weight: 5,5 kg	<b>XWARC-00EF-L</b>	<b>678 €</b>
	<b>Heat shield kit:</b> to be used when the oven is installed next to a fryer grill or any other heating source. Suitable for both sides of the oven. Shipped in two pieces. Dimensions: 15x816x99 - 15x72x628 WxDxH mm - Weight: 1,3 kg	<b>XUC041</b>	<b>191 €</b>		<b>Floor positioning stand</b> Mandatory for oven unit positioning on the floor Dimensions: 842x713x113 WxDxH mm Weight: 3,5 kg	<b>XWARC-00EF-F</b>	<b>576 €</b>
	<b>Cooking fat and liquid collection kit:</b> non-stick stainless-steel container h20mm, designed with special bendings and a central hole to collect liquids and fat dripping from the food and direct them to the center of the drain to reduce the dirtiness on the cooking chamber. Strongly recommended with SMART.Drain and in any dirty intensive cooking of poultry and meat.	<b>XUC047</b>	<b>191 €</b>		<b>Wheels kit with safety chains</b> 4 wheels complete Kit: 2 wheels with brake - 2 wheels without brake. Compatible with: XEBPC-12EU-B/ XEBPC-08EU-B/ XWAEAC-08EF/ XWARC-00EF-F/ XWARC-00EF-L/ XWARC-00EF-M/ XWARC-07EF-H/ XWARC-07EF-UH.	<b>XUC012</b>	<b>400 €</b>
	Kit cooling drain	<b>XHC005</b>	<b>233 €</b>		<b>Intermediate stand</b> Dimensions: 860x817x309 WxDxH mm - Weight: 20 Kg	<b>XEBIC-03EU</b>	<b>1096 €</b>
	2-Stage safety door lock / opening	<b>XUC002</b>	<b>48 €</b>		<b>Steam.BOOST:</b> Increases steam production by 50% for 6 minutes, for optimal baking results. For model: XEBC-04EU-EPR	<b>XUC080</b>	<b>406 €</b>
	UNOX.Link extra fine sous-vide core probe	<b>XEC004</b>	<b>604 €</b>		For model: XEBC-06EU-EPR	<b>XUC081</b>	<b>604 €</b>
	Shower kit	<b>XHC001</b>	<b>236 €</b>		For model: XEBC-10EU-EPR	<b>XUC082</b>	<b>775 €</b>



**HIZLI PIŞİRME FIRINI 3\* 46x33 TEPİSİ BAKERLUX SPEED.Pro™**, çok işlevli ve çok yönlü bir üründe bir arada var olmak için bir araya gelen iki ileri teknolojinin birleşimidir. İki kat benzersiz olmak için doğmuş

#### | XESW-03HS-EDDN

**Kapasite** 3 460x330

**Tepsi Ara Mesafe** 75 mm

**Hız Kapasitesi** 1 HIZ.Plaka

**Gerilimi** 380-415 V

**Elektrik Gücü** 6,5 kW


**Boyutlar (GxDxH mm)** 600x797x541

**Ağırlık** 88 kg

**Fiyatı** **11.324 €**

### 2 in 1



Save space



### BAKERLUX SPEED.Pro™

### 3 x Profit

Multiply your revenues



#### SPEED-X Fırın

Kombi ve Hyper Speed pişirme fonksiyonlarına sahiptir. SENSE.Clean özelliği ile fırınıızda kir seviyesine bağlı otomatik yıkama özelliği mevcuttur.

#### | XEPA-0523-EXRN

**Kapasite** 1 GN 2/3 Hyper Speed modu / 5 veya 10 GN2/3 Kombi modu

**Tepsi Ara Mesafe** 70 mm

**Frekans** 50 Hz

**Gerilimi** 230-1N/400 V-3N

**Elektrik Gücü** 9 kW

**Boyutlar (GxDxH mm)** 535x740x811

**Ağırlık** 107 kg

**Fiyatı** **17.955 €**