





This is to certify that: MFA Is Guvenligi Medikal A.S.

Baruthane Cad. No:21/1

Elvanpazarcik Beldesi Hayat Mah.

Merkez/ ZONGULDAK

Zonguldak 67990 Turkey

Holds Certificate Number: CE 758378

In respect of:

Filtering masks to EN 149:2001+A1:2009 Various models, see continuation sheet for details.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Denelise L'Ecluse, Managing Director Assurance - Continental

Europe

First Issued: 2022-01-11 Latest Issue: 2023-01-17 Effective Date: 2023-01-17 Expiry Date: 2027-01-10

Page: 1 of 13



No. CE 758378

#### **Product Specification**

#### **Vertical Fold Flat Range with clogging**

**Description:** A- Series - Vertical fold flat disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect

against particles. specification:

Classification -Single shift NR

**FFP Class:** FFP1 NR D

Models: A-167

> A-167V (mask with exhalation valve fitted)

> A-167V-E (mask with exhalation valve fitted)

**FFP Class:** FFP2 NR D

Models: A-267

> A-267V (mask with exhalation valve fitted)

**FFP Class:** FFP3 NR D

Models: A-367

> A-367V (mask with exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 2 of 13

No. CE 758378

#### **Product Specification (continued)**

Description: C- Series - Vertical fold flat disposable face mask with clogging Clause 7.17

**Technical EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect

**specification:** against particles.

Classification – Single shift NR

FFP Class: FFP1 NR D

Models: C-067

C-067V (mask with exhalation valve fitted)

C-167

C-167V (mask with exhalation valve fitted)

FFP Class: FFP2 NR D

Models: C-267

C-267V (mask with exhalation valve fitted)

C-267-AC (mask with activated carbon)

C-267V-AC (mask with activated carbon and exhalation valve fitted)

FFP Class: FFP3 NR D

**Model:** C-367V (mask with exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 3 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone  $+31\ 20\ 3460780$ . An electronic certificate can be authenticated <u>online</u>.

No. CE 758378

**Product Specification (Continued)** 

**Description:** F - Series - Conical Type disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect

specification: against particles.

Classification - Single shift NR

FFP Class: FFP1 NR D

Models: F-167

> F-167V (mask with exhalation valve fitted)

**FFP Class:** FFP2 NR D

Models: F-267

> F-267V (mask with exhalation valve fitted)

F-267-AC (mask with activated carbon)

F-267V-AC (mask with activated carbon and exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 4 of 13

No. CE 758378

#### **Product Specification (Continued)**

Description: P - Series - Vertical fold flat disposable face mask with clogging Clause 7.17

**Technical EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect

**specification:** against particles.

Classification – Single shift NR

FFP Class: FFP1 NR D

Models: P-167

P-167V (mask with exhalation valve fitted)

P-167-AC (mask with activated carbon)

P-167V-AC (mask with activated carbon and exhalation valve fitted)

P-167V-E (mask with exhalation valve fitted)

P-167V-AC-E (mask with activated carbon and exhalation valve fitted)

FFP Class: FFP2 NR D

Models: P-267

P-267V (mask with exhalation valve fitted)

P-267-AC (mask with activated carbon)

P-267V-AC (mask with activated carbon and exhalation valve fitted)

P-267V-E (mask with exhalation valve fitted)

P-267V-AC-E (mask with activated carbon and exhalation valve fitted)

FFP Class: FFP3 NR D

Models: P-367

P-367-S (mask is smaller in size than the original model P-367)

P-367V (mask with exhalation valve fitted)

P-367V-S (mask is smaller in size than the original model P-367V)

P-367V-E (mask with exhalation valve fitted)

P-367V-AC (mask with activated carbon and exhalation valve fitted)

P-367V-AC-S (mask is smaller in size than the original model P-367V-AC)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 5 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone  $+31\ 20\ 3460780$ . An electronic certificate can be authenticated online.

No. CE 758378

**Product Specification (Continued)** 

Description: S - Series – Conical type disposable face mask with clogging Clause 7.17

**Technical EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect

**specification:** against particles.

Classification – Single shift NR

FFP Class: FFP1 NR D

Models: S-167

S-167V (mask with exhalation valve fitted)

FFP Class: FFP2 NR D

Models: S-267

S-267V (mask with exhalation valve fitted)

S-267-AC (mask with activated carbon)

S-267V-AC (mask with activated carbon and exhalation valve fitted)

FFP Class: FFP3 NR D

**Models:** S-367V (mask with exhalation valve fitted)

S-367V-AC (mask with activated carbon and exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 6 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 758378

**Product Specification (Continued)** 

**Description:** SR- Series - Conical type disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect

specification: against particles.

Classification - Reusable R

**FFP Class:** FFP2 R D

Models: SR-S-267V (mask with exhalation valve fitted)

> SR-S-267V-AC (mask with activated carbon and exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 7 of 13

No. CE 758378

**Description:** Z- Series - Vertical fold flat disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect

specification: against particles.

Classification - Single shift - NR

**FFP Class:** FFP1 NR D

Models: Z-167

> Z-167V (mask with exhalation valve fitted)

**FFP Class:** FFP2 NR D

Models: Z-267

> Z-267V (mask with exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 8 of 13

No. CE 758378

**Description:** NFK- Series – Conical type disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect

specification: against particles.

Classification - Single shift - NR

**FFP Class:** FFP2 NR D Models: NFK-200

> NFK-201 (mask with exhalation valve fitted) Q-267V (mask with exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 9 of 13

No. CE 758378

#### **Product Specification (Continued)**

Description: D - Series -Conical type disposable face mask with clogging Clause 7.17

**Technical EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect

**specification:** against particles.

Classification - Single shift NR D

FFP Class: FFP2 NR D

**Models:** D-267V-ECO (mask with exhalation valve fitted)

D-267V (mask with exhalation valve fitted)

D-267V-AC (mask with activated carbon and exhalation valve fitted)

FFP Class: FFP3 NR D

**Models:** D-367V (mask with exhalation valve fitted)

D-367V-AC (mask with activated carbon and exhalation valve fitted)

Page: 10 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 758378

#### **Product Specification (Continued)**

**Description:** PR- Series -Conical type disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices - Filtering half masks to protect

specification: against particles.

Classification - Re-usable R D

**FFP Class:** FFP2 R D

Models: (mask with exhalation valve fitted) PR-5520

> PR-7720 (mask with activated carbon and exhalation valve fitted)

**FFP Class:** FFP3 R D

**Models:** PR-5530 (mask with exhalation valve fitted)

> PR-7730 (mask with activated carbon and exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 11 of 13

No. CE 758378

#### **Product Specification (Continued)**

**Description:** DX- Series – Conical type disposable face mask with clogging Clause 7.17

**Technical** EN 149:2001+A1:2009 Respiratory protective devices - Filtering half masks to protect

specification: against particles.

Classification -Single shift NR D

**FFP Class:** FFP2 NR D

Models: (mask with exhalation valve fitted) DX-267V

> DX-267V-AC (mask with activated carbon and exhalation valve fitted)

**FFP Class:** FFP3 NR D

Models: DX-367V (mask with exhalation valve fitted)

> DX-367V-AC (mask with activated carbon and exhalation valve fitted)

First Issued: 2022-01-11 Effective Date: 2023-01-17 Latest Issue: 2023-01-17 Expiry Date: 2027-01-10

Page: 12 of 13

No. CE 758378

#### **Certificate Administration Details**

**Technical File Reference:** A - Series: Particle Filtering Half Masks TF1702

C - Series: Particle Filtering Half Masks TF1701
F - Series: Particle Filtering Half Masks TF1704
P - Series: Particle Filtering Half Masks TF1703
S - Series: Particle Filtering Half Masks TF1705
Z - Series: Particle Filtering Half Masks TF1706
NFK Series: Particle Filtering Half Masks TF1707

DX, D & PR - Series: Particle Filtering Half Masks TF1711, TF1709 & TF1710

#### **Certificate Amendment Record**

Issue date	Comments	BSI Internal Project No.
January 2022	First issue.	2797:21:3541515
January 2023	Addition of models for DX, D & PR Series	2797:22:3384420
		&3542037

#### **Certificate validity**

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

#### **Monitoring of manufactured PPE**

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type Based on Quality Assurance of the Production Process, Annex VIII (Module D), as referenced on BSI issued Certificate CE 758381.

Page: 13 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.