

Smart Eagle

Hospital, Shopping Mall, Department store & Retail

Further upgrade Rugged PDA



The 1st Adroid O/S embeded!

Supports Wi-Fi

High Durability/Water Resist UP

SPEC Smart Eagle AT-911

Performance Characteristics	Processor	Samsung S5PC110 1GHz
	Operating System	Android 2.2(Froyo)
	Memory	ROM 512MB / RAM 512MB
	Display	WVGA BlanView TFT LCD 480W x 800L with backlight Stylus Touch Screen Interface
	Weight	230g
	Operating Temp.	-20°C to 50°C
	Storage Temp.	-30°C to 60°C
	Humidity	95% non-condensing
	Drop Spec.	1.8M.Drop to concrete
	Dust & Water Proof	IP67
Physical Characteristics	Audio	Speaker, Microphone, Headset jack
	Port	USB OTG
	Expansion Slot	1 Micro SD Slot (SDHC support)
	Notification	Vibrator and LED
	Power Adapter	Input AC100V~240V / Output DC5V 2A"
	Dimensions	146mm(L) x 76mm(W) x 28.5mm(H)
Battery Supply	Main Baattery	Lithium-ion 3.7V 2,200mAH (Rechargeable) Up to 4,400mAH (Option)
	Battery, Talk Time	Continuous Talk Time: up to 3.5 hours
	Battery, Standby	3.4 Days
	Battery, Charging time	5 hours
Network Characteristics	WLAN	WLAN(802.11 b/g/n)
	Bluetooth	Class II, v2.0 (SPP Only) 2.1+EDR of 1,2 and 3 Mbps, UART/Audio PCM Interface for Bluetooth

OPTION

Network Characteristics	Radio	GSM/GPRS, 3G HSDPA
	GPS	Internal Antenna
Data Capture Device	Barcode Engine	1D Laser or 2D Imager Scanner
	Camera	CMOS 5.0 Mega Pixel Auto Focus with Flash
UHF 900Mhz Reader (option)	Frequency	850MHz ~ 960MHz
	Reading range	0m ~ 5m (According to Tag & Environment)
	Writing range	0m ~ 2m
	RF output	1W EIRP
	Protocol	EPC Gen2, ISO/IEC 18000-6C, 18000-6B (Option)
HF 13.56Mhz Reader (option)	Special function	Anti-Collision
	Applied RFID Tag	ISO15693, Mifare, ISO 1444E Type A/B. TAG-it
	Reading range	Based on Tag (0 ~ 10cm)

Standard set

MAIN UNIT

AC ADAPTER

STYLUS TOUCH PEN

SYNC CABLE

LCD PROTECTIVE FILM

BATTERY

※ All Features and specifications described are subject to change without notice.

ATID CO., Ltd

#1210, Byuksan/ Gyungin Digital ValleyII, #481-10 Gasan Dong, Geumchun Gu, Seoul, Korea
Tel : +82-2-544-1436 Fax : +82-2-2113-0040 E-mail : webmaster@atid1.com website : www.atid1.com