

DEL 18/21/24 Plus

COMFORT INSTANTANEOUS WATER HEATERS

PRODUCT-NO.: 236739

Equip your home perfectly for anything

This series with 3i technology leads the way in terms of high hot water convenience. With its wide range of features, such as a backlit multifunction display, temperature memory, childproofing and ECO mode, this appliance boosts convenience levels for you in a multitude of ways.



Save energy at the press of a button

The energy and water saving ECO mode limits the maximum flow rate. You benefit from a constant supply of hot water, even at low inlet temperatures. And you reduce your water consumption without compromising on convenience.



DEL 27 Plus

Product-No.: 236740

Enjoy incredible ease of use

With the optional wireless remote control, you can very conveniently control your instantaneous water heater from a distance.

The main features

Instantaneous water heater with electronic closed-loop control

Accurate temperature delivery up to the appliance's output limit thanks to 3i technology

Sufficient hot water for multiple draw-off points

Particularly economical operation with ECO mode

Backlit multifunction display with output values

Individual memory buttons for setting preferred temperatures

Adjustable temperature limit as anti-scalding protection for children

Can be combined with a wireless remote control



Type	DEL 18/21/24 Plus	DEL 27 Plus
Part no.	236739	236740

Technical data

Rated voltage	400 V	400 V
Rated voltage 1	380 V	380 V
Rated voltage 2	400 V	400 V
Rated voltage 3	415 V	
Rated output	18/21/24 kW	27 kW
Rated output 1	16,2/19/21,7 kW	24,4 kW
Rated output 2	18/21/24 kW	27 kW
Rated output 3	19,4/22,6/25,8 kW	
Rated current	29/31/35 A	39 A
Rated current 1	27,6/29,5/33,3 A	37,1 A
Rated current 2	29/31/35 A	39 A
Rated current 3	30,1/32,2/36,3 A	
Fuse protection	32/32/35 A	40 A
Fuse protection 1	32/32/35 A	40 A
Fuse protection 2	32/32/35 A	40 A
Fuse protection 3	32/32/40 A	
Frequency	50/60 Hz	50/- Hz
Frequency 1	50/60 Hz	50/- Hz
Frequency 2	50/60 Hz	50/- Hz
Frequency 3	50/- Hz	
Phases	3/PE	3/PE

Conductivity $\sigma_{15} \leq$	1111 $\mu\text{S}/\text{cm}$	1111 $\mu\text{S}/\text{cm}$
Resistivity $\rho_{15} \geq$	900 $\Omega \text{ cm}$	900 $\Omega \text{ cm}$
IP rating	IP25	IP25
Temperature setting	20-60 °C	20-60 °C
Colour	white	white
Switch-on water flow rate	>2,5 l/min	>2,5 l/min
Height	466 mm	466 mm
Width	225 mm	225 mm
Depth	116 mm	116 mm
Weight	3.10 kg	3.10 kg
Energy efficiency class	A	A

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.