

# GÜVEN SOĞUTMA ÜNİTELERİ SAN. VE TİC. A.Ş.

Addr: Hastane Mah. Hadimköy İstanbul Cd. No:78/1  
34555, Arnavutköy, İstanbul, TURKEY  
Tel: +90 212 771 51 12 - 771 51 13  
Fax: +90 212 771 51 10  
www.gvn.com.tr



**GVN STANDART PRODUCT** **Customer**

**SUCTION LINE ACCUMULATORS** **Product**

**SLA.A.33b.66.25.F4** **Code**

**Customer Code**

### DESIGN DATA

Capacity [Lt.]	25 Lt.
Design Pressure [PS]	33 Bar
Pneumatic Test Pressure [PT]	36 Bar
Hydraulic Test Pressure	48 Bar
Design Temperature [TS]	Min.-20C / Max.+130C
Cooler Fluid Type	HFC-CFC-HCFC
Fluid Group	2
Category	CAT II / D1
Desing Calculation	EN 14276-1/EN 13445-3
Welded Joint Efficiency	0.85
Material Group (Shell / Head)	1.2
Testing Group	3b
Corrasion Allowance	0,5 mm
Ndt	10%
Packaging Size & Weight	00*00*00 & 00 Kg.
Drawed By	Ö.TÜRKER
Approved By	D.GÜL
Date	03.11.2022
Color	RAL 5009

### MATERIAL DATA

No	Connection	Model	Code	Material	Qty
1	Inlet	ODS 2 5/8" H:55	106.033.B12.000.010	E275	1
2	Outlet Connection	ODS 2 5/8" H:50	106.033.B12.000.001	E275	1
3	Safety Valve Conn.	NPT 1/2" H:18	106.060.F04.000.001	E275-ST44	1
4	Blind Plug	NPT 1/2" Plug	106.130.F04.001.001	E275	1
5	Pipe	Ø102x3	204.102.030.SLA.001	E235	1
6	Pipe	Ø60x1,5	204.060.015.SLA.002	E235	1
7	Shell	Ø273x4 H:304,46	204.SLA.033.273.003	P355NH EN 10217-3	1
8	Head - Torispheric	Ø273x4 H:95	101.045.273.001.000	P355GH EN10028-2	1
9	Head - Torispheric	Ø273x4 H:92	201.045.273.001.016	P355GH EN10028-2	1
10	Head	Ø107x2,5 H:24,5	201.030.102.001.000	P355GH-EN10028-2	1
11	Skirt With	Ø320x2,5 H:27	105.004.320.001.001	EN 10111 DD-13	1

### GENERAL NOTES

- Max. allowable operating pressure (PS) according to the temperature range;
- 1) Allowable operating temperature : min. -20C° / max. +130C° PS1 = 33 Bar
- 2) Allowable operating temperature : min. -40C° / max. -20C° PS2 = 24 Bar
- Unless otherwise specified dimensions in MM
- Unless otherwise specified do not scale
- Unless otherwise specified tube must be clean&free from burrs inside&outside&uitable for soldering
- Unless otherwise specified do not scale indicated thickness are min. after forming or machining
- Unless otherwise specified dimension tolerances according to EN 113445-4

### REVISIONS





No	Details Of Change	Date	By
01			
02			
03			

### RELATED DRAWINGS


No	Description	Drawing No
01		
02		




We reserve all rights in this document and in the information contained therein. Reproduction use or disclosure to third parties without express authority is strictly forbidden.



BOTTOM VIEW



TOP VIEW



No	Assembly Codes	Qty
1	M005.000353	1