CERTIFICATE OF COMPLIANCE

 Certificate Number
 20181217-SA32866

 Report Reference
 SA32866-20110711

 Issue Date
 2018-DECEMBER-17

Issued to: SANHUA (HANGZHOU) MICRO CHANNEL HEAT

EXCHANGER CO LTD

289 12TH ST

HANGZHOU ECONOMIC DEVELOPMENT AREA

HANGZHOU

ZHEJIANG 310018 CHINA

This certificate confirms that HEAT EXCHANGERS, REFRIGERANT

representative samples of See Addendum for Models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 207, Standard for Safety for Refrigerant-Containing

Components and Accessories, Nonelectrical.

CAN/CSA C22.2 No. 140.3-15, Standard for Refrigerant Containing Components For Use in Electrical Equipment.

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information.

This Certificate of Compliance does not provide authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number 20181217-SA32866

Report Reference SA32866-20110711

Issue Date 2018-DECEMBER-17

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Refrigerant-Containing Component, Non-Electrical -

Refrigerant Heat Exchanger Models 12S, 16S, 18S, 20S, 25.4S, 32S or 8S, followed by A, B, C or D, followed by F, C, T or M followed by 1, or 2, followed by L0, L1, L2, or L3, followed by R, N, Q, Z, S, A, P, H, T, U, Y, X, K or G followed by C, E or H, followed by 01, 04, 11, 21, 31, 42, 43, 45, 51, 52, 61, 62, 17, 47, 81, 00, may be followed by additional alpha-numeric characters to indicate heat exchanger dimensions fin varieties (may also be known as fin density) and types of connections.

Bamely

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

