


jr huggy

“ Care for Future ”

evQC

Huggy Evoc Travel Sistem Bebek Arabası



**Important - Read Carefully And Keep For
Future Reference**

PREMIUM QUALITY

— — — DESIGN BY GERMANY

evqc

PREMIUM QUALITY
— — —
DESIGN BY GERMANY

Catalogue

Component introduction-----	2
Installation introduction-----	3
Function introduction-----	5
Attention-----	10

Maintenance

To ensure your child from accidental injury please regularly do the inspection and maintenance of this stroller. Please regularly check if there are screws loose, damaged parts or suture breakage, if necessary, replace broken parts. When disassembling, carefully follow the operating instructions in order to avoid unnecessary damage.

When cleaning the cloth on the stroller, clean the stain directly with the brush or other cleaning equipment. For other parts' cleaning, please use household soap or neutral detergent.

Component introduction



WARNING

Keep all the plastic bags and small components away from the Child to avoid possible suffocation and injury.

Installation introduction

1. Unfolding the frame

Take out the frame, lift up the push bar to unfold the frame.



2. Front wheels assembly

Lift up stroller frame front axle tube and push down the button. Push up until you hear an audible “click” to indicate the front wheel is locked into position. Repeat for the second wheel.



Metal button

3. Rear wheels assembly

Push down the button with one hand, insert rear wheel axle until you hear an audible “click” to indicate the wheel is locked into position. Repeat for the second wheels.



Metal button

Installation introduction

4. Seat and armrest installation

Press down the white button on both sides of the pram body. Insert into the frame posts until you hear an audible “click” sound. Insert the armrest into the slot above the white button



DO NOT LIFT BY
THE ARMBAR

Adjust the connectors
to a vertical position

5. Canopy installation

Slightly insert the canopy to the sleeping basket socket to finish the first step. After that, pull up the canopy zipper.



6. Install the footcover

The installation detail is according to the following picture. Mother can choose whether to use the footcover as per children's needs




Function introduction

1. Change the pram body to sitting, lying, sleeping model.

When it is in sitting and lying position, connect the adjustment belt as A

When it is in sleeping position, disconnect the adjustment belt as B



Pram body reinforcement support rod: First, fix the seat bottom fixing belt on the reinforcement support rod, and then buckle upon the button to prevent the inertia of the bottom of the seat from suddenly turning out when the speed of the stroller is relatively fast.

2. Pram body adjustment button

Press the round buttons on both sides, rotate the pram body button to adjust the seat position



Function introduction

3. Adjusting the position of the pram body-face forward

The mother pushes the stroller at the back, when use sitting and sleeping position.



4. Adjusting the position of the pram body-face mom.

Adjusting the position of the sleeping basket. Turn it around . The baby is facing the mother.



5. Sleeping status (hide the safety belt)

When the stroller is in sleeping position, Place the restraint system flat, please add the sleeping mat to hide the safety belt to avoid the child being suffocated.



Function introduction

6. Canopy adjustment

The canopy can be adjusted into 3 positions according to the weather and the status of the baby.



position 1



position 2



position 3

7. Installation of the restraint system

1. Choose the right position of the restraint system.
2. Put the restraint system buckle through the pram body position hole.
3. Pull restraint system buckle and put it flat.



8. Remove the restraint system

1. Put the restraint system buckle through the pram body position hole.
2. Pull back out the restraint system.



Function introduction

9. Five point safety belt

- 1) Insert the arm safety belt into the waist belt buckle.
- 2) Then lock it into the main buckle with the red button.
- 3) Press the red button to unlock the safety belt.



Locking status



One key release



In order to avoid injury, when the baby sitting on the seat, do not move or adjust the pram body.

Function introduction

10. Front wheels direction universal and fixing

To fix the direction of the front wheels, align front wheels in a straight forward position and press down the front wheel lock, the front wheels can only move straight forward and backward .Lift up the front wheel direction lock, direction of the front wheels can be universal.



Universal rotating




Fixing direction

11. Parking device


Picture 1:Lift up the rear wheel axle to release the parking device, then the stroller can move freely.

Picture 2: The parking model:

press down the parking device, the stroller is unable to move.



Non-parking model



Parking model

Function introduction

12. Easy folding the stroller in 3 steps

Picture 1: Press key 1 to release the insurance button, and pull up the left and right handle key 2 as shown

Picture 2: Fold the stroller downwards(make sure that the stroller is in sitting position and the front wheel's direction buttons are unlocked)

Picture 3: Fold the stroller completely , lock the stroller folding key.



Push down
the handle gently



Folding safety belt

WARNING

Do not place heavy objects at the top of the stroller.

Do not use other non-original parts or accessories.

For dust and general stains, it is recommended to use a wet cloth to scrub quickly and dry quickly. The seat cloth and the sunshade canopy are not machine washable.

In order to avoid damage to the fabric surface, Do not brush the fabric with force.

Put the fabrics in a ventilated place to dry after washing, do not expose.

Matters needing attention



WARNING

- Important-Read carefully and keep for future reference.
- Only compatible with these products:SK20 seat unit; KS-2150 Safety Baby Car Seat.
- To avoid injury ensure that the child is kept away when unfolding and folding this product.
- Never leave the child unattended.
- Ensure that all the locking devices are engaged before use.
- Do not let the child play with this product.
- This seat unit is not suitable for children under 6 months, the maximum weight of the child for which the vehicle is suitable up to 22 kg or 4 years whichever comes first ; the maximum load of the storage basket is 3 kg.
- Always use the restraint system.
- Check that the pram body or seat unit or car seat attachment devices are correctly engaged before use.
- This product is not suitable for running or skating.
- Make sure that the parking device shall be engaged when placing and removing the children.



WARNING

- Any load attached to the handle and/or on the back of the backrest and/or on the sides of the vehicle will affect the stability of the vehicle.
- Do not add a mattress thicker than 10 mm.
- Only replacement parts supplied or recommended by the manufacturer/distributor shall be used.
- This pram body is suitable for a child who cannot sit up by itself, roll over and cannot push itself up on its hands and knees. Maximum weight of the child: 9 kg
- Do not let children stand on the seat.
- Never carry more than one child per seat.
- Please do not use in rough places, stairs and other dangerous places.
- Keep the plastic cover away from the baby to avoid suffocation.
- Keep away from fire.
- Accessories which are not approved by the manufacturer shall not be used.
- Warning: do not lift by the armbar.

GARANTİ BELGESİ

Seri: 4A

MALİN
Cinsi : BEBEK ARABASI
Markası : HUGGY
Modeli : EVOC

SATICI FİRMANIN
Ünvanı:
Adresi :

ALICİNİN
Adı Soyadı : _____
Adresi : _____
Tel : _____

Fatura No
Kaşe ve İmza

Malin Tüketicisiye
Teslim Tarihi : _____
Teslim Yeri : _____

Azami Tamir Süresi
Garanti Süresi

: 20 İş Günü
: 2 Yıl

Üretici / İthalatçı Firma:

Ünvanı

Merkez Adres

Telefon

Faks

: Kurt Grup Dış Ticaret A.Ş.
: 1. OSB 6.Cadde No:1 – SİVAS
: 0346 218 14 13
: 0212 310 46 44

ÖNEMLİ NOTLAR:

Lütfen bu belgeyi tamamlandıktan sonra kullanma tarihini dikkatli okuyunuz.
Garanti belgesi, sadece öndeki fabrikasyon tarihi hatlarında kapsamaktadır.
Karalanmış, hasar görmüş veya üzerindeki bilgiler kapatalacak şekilde etiket yapıştırılmış garanti kartları geçersizdir.



GARANTİ ŞARTLARI

- Garanti süresi, malin teslim tarihinden itibaren başlar ve iki yıldır.
- Malin bütün parçaları dahil olmak üzere tamamı firmamızın garantisini kapsamındadır.
- Malin garanti süresi içerisinde arızalanmasından durumunda, tamirde geçen süre garanti süresine eklenir.
Malin tamir süresi fazla 20 iş günüdür. Bu süre, maleşlik arızanın servis istasyonuna, servis istasyonunun olmaması durumunda, malin satıcı, bayi, agentası, temsilciliği, ithalatçı veya imalatçından birisine bildirim tarihinde başlar. Sanayi malının arasızının 10 iş günü içerisinde giderilmemesi halinde, ithalatçı veya ithalatçı; malin tamiri tamamlanıncaya kadar, benzer özellikleri sahip başka bir sanayi malını tüketicinin kullanımına tâhis etmek zorundadır.
- Malin garanti süresi içerisinde, gerek malzeme gerek işçilik, gerekse montaj hatalarından dolayı arızalanması halinde, işçilik masrafı, değiştirilmesi gereklidir. Bu taliplerin herhangi bir altımda hiçbir ücret talep etmemeksin tamiri yapıfakactır.
- Tüketicinin, ücretiz onarım hakkını kullanması halinde malin; a) Garanti süresi içinde tekrar arızlanması, b) Tamir için gerekli azami sürenin aşılması, c) Tamirin mümkün olmadığından, yetkili servis istasyonu, satıcı, üretici veya ithalatçı tarafından bir raporla belirlenmesi durumlarında; tüketici malin bedel iadesini, ayip oranında bedel indirimini veya imkan varsa malin ayıpsız misli ile değiştirilmesini satıcıdan talep edebilir. Satıcı, tüketicinin talebi reddedmez.
- Bu talebin yerine getirilmesinden durumunda satıcı, üretici ve ithalatçı müteselsilen sorumludur.
Malin ayıpsız misli ile değiştirilmesinin satıcı için orantısız güçleri beraberinde getireceği halinde tüketici, sözleşmeden dönemde veya ayip oranında bedelen indirim haklarından kılınanabilir. Orantısızlığının tayininde malin ayıpsız değeri, ayıbın ömini ve diğer seçimlik hakları basıvermanın tüketici açısından sorun teşkil edip etmeyeceği gibi hususlar dikdike alınır.
- Tüketicinin sözleşmeden dönemde veya ayip oranında bedelen indirim hakkını seçtiği durumlarda, satıcı, malin bedelinin tümünü veya bedelen yapılan indirim tutarını derhal tüketiciye iade etmek zorundadır.
- Tüketicinin malin ayıpsız misli ile değiştirilmesi hakkını seçmesi durumunda satıcı, üretici veya ithalatçının, malin ayıpsız misli ile değiştirilmesi talebinin kendilerine bildirilmesinden itibaren azami otuz iş günü içerisinde, bu talebi yerine getirmesini zorunludur.
- Birinci fikrannın (c) bendinde belirtilen raporun, arızanın bildirildiği tarihinden itibaren o maleşlik azamı tamir süresi içerisinde düzenlenmesi zorunludur.
- Malin kullanma kılavuzunda yer alan hususlara aykırı kullanılmasından kaynaklanan arızalar ve kullanım hatasından kaynaklanan arızalar garanti kapsamı dışındadır.
- Garanti süresi içerisinde, servis istasyonları tarafından yapılması gereken tarihi tâhis etme yükümlülüğüne maleşlik nedeniyle devredilemez.
- Fabrikasyon hatalarından doğan arızaların tamirinde garanti kapsamının geceri olabilmesi için, ürünün satıcı mağaza tarafından kaşelemmiş orjinal fatura ve garanti kartı ile servise getirilmesi veya gönderilmesi şarttır.
- Tüketiciler şikayet ve itirazları konusunda Tüketicilerin ve Tüketicilerin Hukem Heyetlerine başvurabilirler.
- Malin ayıplı olduğunu anlaşılması durumunda tüketici;
 - Satılanı geri vermemize hazır olduğunu bildirerek sözleşmeden dönemde,
 - Satılanı alıkoyup ayip oranında satış bedeleninden indirim isteme,
 - Asrı bir masraf gerektirmediği takdirde, bütün masrafarı satıcıya ait olmak üzere satılanın ücretsiz onarılması isteme, ç) İmkan varsa, satılanın ayıpsız bir misli ile değiştirilmesini isteme, seçimlik haklarından birini kullanabilir.



Kurt Grup Dış Tic. Ltd. Sti 1. OSB 2. Kısıم 6. Cadde No:1
Merkez / Sivas Whatapp: 0506 480 10 19
www.kurtgrupltd.com



“ Care for Future “

**Kurt Grup Dis Tic. Ltd. Sti 1. OSB 2. Kısım 6. Cadde No:1
Merkez / Sivas Whatapp: 0506 480 10 19
www.kurtgrupltd.com**