






## technical specifications

Product Description	<b>Carbon Neutral</b> Multilevel Loop	
Pile Yarn Description	Universal Fibers <sup>®</sup> Thrive <sup>®</sup> matter <b>carbon negative recycled</b> yarn, Nylon PA6	
Tile Dimensions	50cm x 50cm / 25cm x 100cm	
Pile Yarn Weight	624g/m <sup>2</sup>	
Total Weight	4024g/m <sup>2</sup>	
Pile Height	4.5mm	
Total Thickness	7.0mm	
Construction	Tufted 1/12th gauge loop	
Tufts per m <sup>2</sup> / Pile Density	226,771/m <sup>2</sup>	
Backing Description	<b>BioBase™</b> backing (recycled EN 14021)	
Wear Classification	class 33 heavy commercial use (BS EN 1307)	
Luxury Rating Class	LC1	
Flammability	Euroclass Bfl-s1	
Thermal Resistance	Tog Rating: 0.47	
Castor Chair Rating	BS EN 985 Pass - suitable for continuous use	
Hexapod	BS ISO 10361: Method B:2000 3 to 4	
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)	
Dynamic Loading	BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts)	
Body Voltage Test	BS ISO 6356:2000 <2kV	
Colour Fastness To Light	BS EN ISO 105 - B02 Minimum Grade 6	
Colour Fastness To Shampoo	BS 1006:UK-TB: 1990 Minimum Grade 4-5	
Sound Absorption Coefficient	BS EN 354:2003	
Reduction in Impact Noise	BS EN ISO 10140-3:2010 26dB	
Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 45dB	
Number Of Tiles/Planks Per Box	20 (5m <sup>2</sup> )/18 (4.5m <sup>2</sup> )	
VOC	Class A+	
Warranty	15 years	



## eco<sub>2</sub>matters<sup>®</sup>

We are committed to helping deliver a sustainable future, because we believe that what we do **matters**. To help us deliver on this commitment, we have developed **eco<sub>2</sub>matters<sup>®</sup>** sustainability goals, supported by the independently 3rd party verified **eco<sub>2</sub>matters<sup>®</sup>** ecosystem.



Made from Universal Fibers<sup>®</sup> Thrive<sup>®</sup> matter yarn, the **world's first carbon negative recycled** yarn, and our unique **eco<sub>2</sub>matters<sup>®</sup> BioBase™ recycled** backing, **arctic** is **carbon neutral**. The design and 12 colour palette are inspired by the dramatic icy landscape of the arctic region we hope to help preserve.

	<b>arctic</b> is <b>carbon neutral</b>		<b>recovery</b> take back service provides a no landfill solution for your used tiles
	<b>arctic</b> uses <b>carbon negative recycled</b> yarn		<b>recovery</b> products are made using 100% certified <b>renewable</b> electricity
	<b>arctic</b> uses <b>BioBase™ recycled</b> backing		<b>eco<sub>2</sub>matters<sup>®</sup></b> ecosystem is independently 3rd party verified


**EPD**  
our products are supported by a 3rd party verified EPD

**LEED**  
our products contribute towards Leed accreditation

**SKA**  
our products adhere to SKA standards

**WELL Building Standards**  
Our products contribute to WELL Building Standards


## ARTLINES ARCTIC CARPET TILES



34501 polar black




34502 cool storm




34503 norse grey



34504 glacial grey




34505 blue water




34506 ice blue




34507 moonrise blue



34508 coastal mist



34509 marine ravine



34510 seal grey



34511 hail stone



34512 oslo fog



**ARTLINES**  
PASPAS SİSTEMLERİ



**ARTLINES**  
KARO HALI



**ARTLINES**  
LVT

**ARTLINES**  
OFİS MOBİLYALARI

## ARTLINES ARCTIC CARPET TILES



## ARTLINES ARCTIC CARPET TILES

