


technical specifications

Product Description	Low Carbon Level Loop
Pile Yarn Description	EgoCycle[®] 75 recycled solution dyed nylon
Tile Dimensions	50cm x 50cm
Pile Yarn Weight	500g/m ²
Total Weight	3810g/m ²
Pile Height	3.0mm
Total Thickness	5.5mm
Construction	Tufted 1/10th gauge loop
Tufts per m ² / Pile Density	196,850/m ²
Backing Description	BioBase[®] backing (recycled EN 14021)
Wear Classification	class 33 heavy commercial use (BS EN 1307)
Luxury Rating Class	LC1
Flammability	Euroclass Bfl-s1
Thermal Resistance	Tog Rating: 0.42
Castor Chair Rating	BS EN 985 Pass - suitable for continuous use
Hexapod	BS ISO 10361: Method B:2000 3 to 4
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)
Dynamic Loading	BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts)
Body Voltage Test	BS ISO 6356:2000 <2kV
Colour Fastness To Light	BS EN ISO 105 - B02 Minimum Grade 6
Colour Fastness To Shampoo	BS 1006:UK-TB: 1990 Minimum Grade 4-5
Sound Absorption Coefficient	BS EN 354:2003
Reduction in Impact Noise	BS EN ISO 10140-3:2010 20dB
Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 28.5dB
Number Of Tiles Per Box	20 (5m ²)
VOC	Class A+
Warranty	15 years



eco₂matters[®]


We are committed to helping deliver a sustainable future, because we believe that what we do **matters**. To help us deliver on this commitment, we have developed **eco₂matters[®]** sustainability goals, supported by the independently 3rd party verified **eco₂matters[®]** ecosystem.




Made from **EgoCycle[®] 75 recycled** solution dyed nylon, and our unique **BioBase[®] recycled** backing, **go to[®]** delivers class 33 Heavy Commercial Use performance at unrivalled value. Supported by high stock levels, and rapid delivery, the 20 colour palette of coordinating plains and stripes provides versatility for use in any space.

<p>low carbon</p> <p>go to[®] is low carbon</p>	<p>take back service</p> <p>very take back service provides a no landfill solution for your used tiles</p>		
<p>EgoCycle[®] 75 recycled yarn</p> <p>go to[®] uses EgoCycle[®] 75 recycled yarn</p>	<p>100% certified renewable</p> <p>go to[®] products are made using 100% certified renewable electricity</p>		
<p>BioBase[™] backing</p> <p>go to[®] uses BioBase[®] recycled backing</p>	<p>independently 3rd party verified</p> <p>eco₂matters[®] ecosystem is independently 3rd party verified</p>		
<p>EPD our products are supported by a 3rd party verified EPD</p>	<p>LEED our products contribute towards Leed accreditation</p>	<p>SKA our products adhere to SKA standards</p>	<p>WELL Building Standards Our products contribute to WELL Building Standards</p>


ARTLINES GO TO CARPET TILES



21801 jet black




21802 coal grey




21903 medium grey stripe




21816 metal grey



21902 coal grey stripe



21803 medium grey



21817 light grey



21810 sky blue



21806 sea blue




21906 sea blue stripe



21822 deep blue



21821 purple



21820 red



21819 orange



21818 moss green




21811 green

ARTLINES GO TO CARPET TILES



21915 dark beige dtripe



21815 dark beige



21814 medium beige



21813 light beige






ATECO ZEMİN MALZ.SAN.TİC.LTD.ŞTİ.
Poligon mah. Katar Cad.No:21/A 34460 Sarıyer / İstanbul Sarıyer
Vd - 099 051 0512
Tel: 0212 229 19 14 - 229 19 41 - 229 28 14 - 277 11 80
Fax: 0212 229 46 47
web: www.ateczemin.com / e-mail: info@atecozemin.com



ARTLINES GO TO CARPET TILES



ARTLINES
PASPAS SİSTEMLERİ

ARTLINES
KARO HALI

ARTLINES
LVT

ARTLINES
OFİS MOBİLYALARI