

ATECO



Zemin Malzemeleri



ARTLINES

**NEM ALICI & TOZ
TUTUCU PASPASLAR**


Dimensions



936 Blue




930 Antrachite



939 Red



932 Brown




938 Grey

Ürün Özellikleri

İplik Türü	: Polyamide %100
Alt taban	: Vinyl
İplik Yüksekliği	: $\pm 700 \text{ gr/m}^2$
Toplam Ağırlık	: $\pm 3600 \text{ gr/m}^2$
İplik Yüksekliği	: $\pm 7 \text{ mm}$
Toplam Yükseklik	: $\pm 11 \text{ mm}$

Pile material	: %100 Polyamid
Backing	: Vinyl back
Pile weight	: $\pm 950 \text{ gr/m}^2$
Total weight	: $\pm 3600 \text{ gr/m}^2$
Pile height	: $\pm 7 \text{ mm}$
Total height	: $\pm 11 \text{ mm}$






151 Beige



154 Taupe




155 Grey




159 Red



50 Black



152 Brown




156 Blue


Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMİD
ALT TABAN	: PVC
İPLİK AĞIRLIĞI	: $\pm 700 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3100 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 6 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 8 \text{ mm}$
ALEV ALMAZLIK	: Cfl/s1
KAYMA DİRENCİ	: DS
RULO GENİŞLİĞİ	: $\pm 20 \text{ m}$
BOYUTLAR	: 135 & 200 cm

PILE METARIAL	: %100 POLYAMİD
BACKING	: PVC
PILE WEIGHT	: $\pm 700 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3100 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 6 \text{ mm}$
TOTAL HEIGHT	: $\pm 8 \text{ mm}$
FLAMMABILITY	: Cfl/s1
SLIP RESISTANCE	: DS
ROLL LENGHT	: $\pm 20 \text{ m}$
SIZES	: 135 & 200 cm

STANDART EBAT / STANDART SIZES :
60/90 cm - 90/150 cm






989 Granite



Anthracite




983 Red



981 Beige



982 Brown



986 Blue




985 Black

Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMID
ALT TABAN	: Vinlyback
İPLİK AĞIRLIĞI	: $\pm 900 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3700 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 5.5 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 9 \text{ mm}$
ALEV ALMAZLIK	: Cfl/s1
KAYMA DİRENCİ	: DS
RULO UZUNLUĞU	: $\pm 20 \text{ m}$
RULO GENİŞLİĞİ	: 135 & 200 cm

PILE METARIAL	: %100 POLYAMID
BACKING	: Vinlyback
PILE WEIGHT	: $\pm 900 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3700 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 5.5 \text{ mm}$
TOTAL HEIGHT	: $\pm 9 \text{ mm}$
FLAMMABILITY	: Cfl/s1
SLIP RESISTANCE	: DS
SIZE RUNNERS	: $\pm 20 \text{ m}$
ROLL LENGHT	: 135 & 200 cm

STANDART EBAT / STANDART SIZES :
40/60cm - 60/90 cm - 90/150 cm




Sahara




Light Grey 188




Brown 182



Red 189



Beige 181



Blue 186

Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMID
ALT TABAN	: PVC
İPLİK AĞIRLIĞI	: $\pm 1000 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3800 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 6,0 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 8 \text{ mm}$
ALEV ALMAZLIK	: Bfl/s1
KAYMA DİRENCİ	: DS
RULO UZUNLUĞU	: $\pm 20 \text{ m}$
RULO GENİŞLİĞİ	: 135 & 200 cm

PILE METARIAL	: %100 POLYAMID
BACKING	: PVC
PILE WEIGHT	: $\pm 1000 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3800 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 6,0 \text{ mm}$
TOTAL HEIGHT	: $\pm 8 \text{ mm}$
FLAMMABILITY	: Bfl/s1
SLIP RESISTANCE	: DS
SIZE RUNNERS	: $\pm 20 \text{ m}$
ROLL LENGHT	: 135 & 200 cm

STANDART EBAT / STANDART SIZES : 40/60cm - 60/90 cm - 90/150 cm



938 Grey



191 Beige




198 Grey



196 Grey



195 Grey



199 Grey




192 Brown

Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMİD
ALT TABAN	: PVC
İPLİK AĞIRLIĞI	: $\pm 1000 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3800 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 6,0 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 8 \text{ mm}$
ALEV ALMAZLIK	: Bfl/s1
KAYMA DİRENCİ	: DS
RULO UZUNLUĞU	: $\pm 20 \text{ m}$
RULO GENİŞLİĞİ	: 135 & 200 cm
PILE METARIAL	: %100 POLYAMİD
BACKING	: PVC
PILE WEIGHT	: $\pm 1000 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3800 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 6,0 \text{ mm}$
TOTAL HEIGHT	: $\pm 8 \text{ mm}$
FLAMMABILITY	: Bfl/s1
SLIP RESISTANCE	: DS
SIZE RUNNERS	: $\pm 20 \text{ m}$
ROLL LENGHT	: 135 & 200 cm

STANDART EBAT / STANDART SIZES :
40/60cm - 60/90 cm - 90/150 cm

Coral Classic




Azure



Blue



Espresso



Warmblack



Silver Grey



Taupe



Ocher



Antracite



Brown



Black



Anthracite



Black

Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMID
ALT TABAN	: Vinlyback
İPLİK AĞIRLIĞI	: $\pm 850 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3650 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 7.5 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 9 \text{ mm}$
ALEV ALMAZLIK	: C1/s1
KAYMA DİRENCİ	: DS
RULO UZUNLUĞU	: $\pm 20 \text{ m}$
RULO GENİŞLİĞİ	: 135 & 200 cm


PILE METARIAL	: %100 POLYAMID
BACKING	: Vinlyback
PILE WEIGHT	: $\pm 850 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3650 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 7.5 \text{ mm}$
TOTAL HEIGHT	: $\pm 9 \text{ mm}$
FLAMMABILITY	: C1/s1
SLIP RESISTANCE	: DS
SIZE RUNNERS	: $\pm 20 \text{ m}$
ROLL LENGHT	: 135 & 200 cm




151 Beige



154 Taupe




155 Grey




159 Red



50 Black



152 Brown




156 Blue

Ürün Özellikleri


İPLİK TÜRÜ	: %100 POLYAMID
ALT TABAN	: PVC
İPLİK AĞIRLIĞI	: $\pm 700 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3100 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 6 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 8 \text{ mm}$
ALEV ALMAZLIK	: Cfl/sl
KAYMA DİRENCİ	: DS
RULO GENİŞLİĞİ	: $\pm 20 \text{ m}$
BOYUTLAR	: 135 & 200 cm

PILE METARIAL	: %100 POLYAMID
BACKING	: PVC
PILE WEIGHT	: $\pm 700 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3100 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 6 \text{ mm}$
TOTAL HEIGHT	: $\pm 8 \text{ mm}$
FLAMMABILITY	: Cfl/sl
SLIP RESISTANCE	: DS
ROLL LENGHT	: $\pm 20 \text{ m}$
SIZES	: 135 & 200 cm


STANDART EBAT / STANDART SIZES : 60/90 cm - 90/150 cm



Brush Blend



5742 - Atoll Blue



5747 - Zodiac Blue



5745 - Woodsmoke
Grey




5750 - Aztek Black




5744 - Coir Brown



5748 - Pesto Green




5766 - Cognac Brown



5749 - Voodoo Purple

Ürün Özellikleri


PILE METARIAL	: 80% WOOL, 20% NYLON
BACKING	: BITUMEN
PILE WEIGHT	: $\pm 700 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 5373 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 6 \text{ mm}$
TOTAL HEIGHT	: $\pm 8 \text{ mm}$
FLAMMABILITY	: Bfl/s1
SLIP RESISTANCE	: DS
ROLL LENGHT	: $\pm 20 \text{ m}$
SIZES	: 200 cm




181728-9710




148305-9710



148306-9714



181729-9724



148310-9727



148312-9730



148309-9725



148308-9721

Ürün Özellikleri

İPLİK TÜRÜ	: %100 POLYAMID
ALT TABAN	: PVC
İPLİK AĞIRLIĞI	: $\pm 670 \text{ gr/m}^2$
TOPLAM YÜKSEKLİK	: $\pm 3400 \text{ gr/m}^2$
ALEV ALMAZLIK	: Cfl/sl
KAYMA DİRENCİ	: DS
RULO GENİŞLİĞİ	: $\pm 20 \text{ m}$
BOYUTLAR	: 200 cm

PILE METARIAL	: %100 POLYAMID
BACKING	: PVC
PILE WEIGHT	: $\pm 670 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3400 \text{ gr/m}^2$
FLAMMABILITY	: Cfl/sl
SLIP RESISTANCE	: DS
ROLL LENGHT	: $\pm 20 \text{ m}$
SIZES	: 200 cm


Symphony




991 Beige




995 Brown




999 Red



991 Grey



990 Black



996 Blue

Ürün Özellikleri


İPLİK TÜRÜ	: %100 POLYAMİD
ALT TABAN	: Vinlyback
İPLİK AĞIRLIĞI	: $\pm 850 \text{ gr/m}^2$
TAPLAM AĞIRLIK	: $\pm 3650 \text{ gr/m}^2$
İPLİK YÜKSEKLİĞİ	: $\pm 7.5 \text{ mm}$
TOPLAM YÜKSEKLİK	: $\pm 9 \text{ mm}$
ALEV ALMAZLIK	: C1/s1
KAYMA DİRENCİ	: DS
RULO UZUNLUĞU	: $\pm 20 \text{ m}$
RULO GENİŞLİĞİ	: 135 & 200 cm

PILE METARIAL	: %100 POLYAMİD
BACKING	: Vinlyback
PILE WEIGHT	: $\pm 850 \text{ gr/m}^2$
TOTAL WEIGHT	: $\pm 3650 \text{ gr/m}^2$
PILE HEIGHT	: $\pm 7.5 \text{ mm}$
TOTAL HEIGHT	: $\pm 9 \text{ mm}$
FLAMMABILITY	: C1/s1
SLIP RESISTANCE	: DS
SIZE RUNNERS	: $\pm 20 \text{ m}$
ROLL LENGHT	: 135 & 200 cm

STANDART EBAT / STANDART SIZES : 60/90 cm - 90/150 cm



5946




5925




5926



5927




5910



5906




5924




5930



5941



5949



5908



5905

Ürün Özellikleri

İPLİK KALİTESİ	:%100 POLYAMİD
İPLİK AĞIRLIĞI	: 920 gr / m ²
TOPLAM AĞIRLIK	: 3.800 gr m ²
İPLİK YÜKSEKLİĞİ	: 7.0 mm
TOPLAM YÜKSEKLİK	: 10.00 mm
ALT TABAN	: PVC Taban
AKUSTİK	: 37 dB
ALEV ALMAZLIK	:Class C1
ANTİSTATİKLİK	: ≤ 2 kV
KULLANIM YERİ	: Yoğun Trafik


PILE METARIAL	:%100 POLYAMİDE
PILE WEIGHT	: 920 gr / m ²
TOTAL WEIGHT	: 3.800 gr m ²
PILE THICKNESS	: 7.0 mm
TOTAL THICKNESS	: 10.00 mm
PVC BACKING	: PVC Taban
ACOUSTIC	: 37 dB
INSULATION	:Class C1
FLAMMABILITY TEST	: ≤ 2 kV
ANTISTATIC	: Heavy Traffic
USING PLACE	

STANDART EBAT / STANDART SIZES : 60/90 cm - 90/150 cm

Kıvırcık Paspas




12 mm ve 16 mm Yerli Üretim Kıvrıcık Paspas



Kırmızı

Gri

DNMM 11 Japon



50240


55010

55020

55030

55040

DNHS 16 Japon




40040

40030


40020




Grip Medium Duty




Raven



Mouse Grey



Violet Blue



Blue Green



Copper Brown

Ürün Özellikleri

İPLİK MALZEMESİ	: %100 VİNİL
ALT TABAN	: Açık veya PVC Taban
TOPLAM AĞIRLIK	: 3.500 gr / m ² - Altı Açık : 6.200 gr / m ² - Altı kapalı
TOPLAM YÜKSEKLİK	: 11 mm - Altı Açık : 12 mm - Altı kapalı
AKUSTİK	: 30 dB
ANTİSTATİKLİK	: ≤ 2 kV
KULLANIM YERİ	: Normal Trafik


PILE METARIAL	: %100 Vinly
BACKING	: Opened or PVC Backed
TOTAL WEIGHT	: 3.500 gr / m ² - Without Back : 6.200 gr / m ² - With PVC Back
TOTAL THICKNESS	: 11 mm - Without Back : 12 mm - With PVC Back
GAP BETWEEN THE PROFILE	: 12 mm - With PVC Back
ACOUSTIC INSULATION	: 30dB
ANTISTATIC	: ≤ 2 kV
USING PLACE	: Normal Traffic

PASPAS BOYUTLARI - DIMENSIONS


MEDIUM DUTY : Altı Açık - Without Puc Back : 1,22 mt x 15,00 mt
MEDIUM DUTY : Altı Kapalı - With Puc Back : 1,27 mt x 15,00 mt

STANDART EBATLAR - STANDARD DIMENSIONS

MEDIUM DUTY : Altı Açık - Without Puc Back : 60 cm x 90 cm




6122 Salt



6121 Ash



6125 Lead



6123 Wine



6124 Soil



6130 Ink

Ürün Özellikleri

İPLİK MALZEMESİ	:%100 VİNİL
ALT TABAN	: Açık veya PVC Taban
TOPLAM AĞIRLIK	: 5.000 gr / m ² - Altı Açık
	: 7.700 gr / m ² - Altı kapalı
TOPLAM YÜKSEKLİK	: 16 mm - Altı Açık
	: 17 mm Altı kapalı
AKUSTİK	: 30 dB
ANTİSTATİKLİK	: ≤ 2 kV
KULLANIM YERİ	: Yoğun Trafik
PILE METARIAL	: %100 Vinly
BACKING	: Opened or PVC Backed
TOTAL WEIGHT	: 5.000 gr / m ² - Without Back
	: 7.700 gr / m ² - With PVC Back
TOTAL THICKNESS	: 16 mm - Without Back
GAP BETWEEN THE PROFILE	: 17 mm - With PVC Back
ACOUSTIC INSULATION	: 30dB
ANTISTATIC	: ≤ 2 kV
USING PLACE	: Heavy Traffic


PASPAS BOYUTLARI - DIMENSIONS

HEAVY DUTY : Altı Açık - Without Puc Back : 1,22 mt x 10.00 mt
HEAVY DUTY : Altı Kapalı - With Puc Back : 1,27 mt x 10.00 mt


STANDART EBATLAR - STANDARD DIMENSIONS

HEAVY DUTY : Altı Açık - Without Puc Back : 60 cm x 90 cm


Catch -Altı Kapalı Dış Mekan Paspasları



052 brown



055 anthracite



059 red

Pile material : PVC/PP
Backing : Vinyl-rubber back
Pile weight : ± 950 gram/m²
Total weight : ± 4000 gram/m²
Pile height : ± 7 mm
Total height : ± 11 mm
Flammability : F.fl (no performance declared)
Slip resistance : DS
Sizes mats runners :100 & 200 cm, ca 10meter long

Collect -Altı Kapalı Dış Mekan Paspasları



016 red



014 brown





007 anthracite


Pile material :100% Polyamide
Backing : Vinylback
Pile weight : ISO 8543 ± 600 gram/m²
Total weight : ISO 1765 ± 3.000 gram/m²
Pile height : ISO 1766 $\pm 6,5$ mm
Total height : ISO 1765 ± 8 mm
Use classification : EN1307 Class 32 (general use)
Wearing class : EN1307 Class 33 (heavy use)
Appearance retention class : EN1307 Class 32 (general use)
Comfort : EN1307 LC1
Suitability for stairs: EN1963 Occasional use
Suitability for castor chairs : EN985 Continuous use
Light fastness : ISO 105 B02 7 (scale 1-8)
Water fastness : ISO 105 B01 4-5 (scale 1-5)
Rubbing fastness : ISO 105 X12 4-5 (scale 1-5)
Water absorption : TNO W6034 $\pm 3,8$ Ltr/m²
Flammability Euroclass : EN13501 Cfl/S1
Slip resistance : EN13893 DS
Static loading : ISO 6356 0,1 kV

Contact sound insulation : ISO 717-2 10dB (A)
Sizes Runners : 200cm
Roll length : $\pm 20,00$ m¹
Sizes mats : 60/90 cm / 90/150 cm

Capture -Altı Kapalı Dış Mekan Paspasları



014 brown



016 red

Pile material	: Polyester (PET) recycled
Backing	: Vinylback
Pile weight	: ISO 854 $\pm$ 925 gram/m ²
Total weight	: ISO 1765 $\pm$ 4.025 gram/m ²
Pile height	: ISO 1766 $\pm$ 8 mm
Total height	: ISO 1765 $\pm$ 10 mm
Use classification	: EN1307 Class 32 (general use)
Wearing class	: EN1307 Class 32 (general use)
Appearance retention class	: EN1307 Class 32 (general use)
Comfort	: EN1307 LC2
Suitability for stairs: EN1963	Occasional use
Suitability for castor chairs	: EN985 Occasional use
Light fastness	: ISO 105 B02 7 (scale 1-8)
Water fastness	: ISO 105 B01 5 (scale 1-5)
Rubbing fastness	: ISO 105 X12 4-5 (scale 1-5)
Water absorption	: TNO W6034 $\pm$ 4,3 Ltr/m ²
Flammability Euroclass	: EN13501 Cfl/S1
Slip resistance	: EN13893 DS
Static loading	: ISO 6356 - 0,6 kV
Contact sound insulation	: ISO 717-2 15dB (A)
Sizes Runners	: 200cm
Roll length	: $\pm$ 10,00m ¹



ATECO ZEMİN MALZEMELERİ SAN. TİC. LTD. ŞTİ

Adres: Poligon Mah. Katar Cad. No:21/A 34460

Sarıyer / İstanbul – TÜRKİYE

E-Mail: info@atecozemin.com

Tel: +90 212 229 28 14 / +90 212 277 11 80

Fax: +90 212 229 46 47