



INTERIOR FITTINGS



2025

Interior fittings

► Benefits at a glance



Storage space organised the smart way

Whether tall units, base units or corner units – Hettich's well-considered, high-quality fittings systems can optimise storage spaces behind the furniture front and provide them with innovative functions. This means more convenience for all kitchen users: the interior fitting quickly shows where

everything's kept and provides convenient, ergonomic access to cabinet contents. Even small alcoves, narrow cabinets and hard-to-reach corners can be used more efficiently with solutions from Hettich.



Optimise access:

The Iseo tall unit pull out provides optimum organisation and ergonomic access, even to the back of the cabinet.




Enjoy comfort:

For luxuriously quiet and gentle closing, all drawer runners are equipped with Silent System soft-closing.



Choose any design.

Interior fittings from Hettich provide numerous design and configurational options.



hettich.com/short/1qtl7e4

Find out more:

You can get inspiration and further product details on our website.

Interior fittings

► Summary



Base unit interior fittings

4 - 13



Corner unit equipment

14 - 23



Interior fittings for larder units

24 - 30



Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 150 and 200 mm cabinet width
- Pull-out shelves with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Can be mounted on left, right or diagonally
- Load capacity 10 kg
- Including 4 divider bars
- Pull-out unit, steel chrome plated or powder coated / HDF, divider bars, plastic, transparent or anthracite

Lario 400 pull-out unit




Set comprises:


- 1 pull-out unit, 2 tier, preassembled
- 2 front panel connectors
- 4 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no.		PU
		chrome plated / white	anthracite	
150	112 / 114 / 118	9 381 022	9 381 024	1 set
200	162 / 164 / 168	9 381 023	9 381 025	1 set

Planning dimensions



Divider bar set Lario 400



- Divider for clipping in, suitable for Lario 400 pull-out units with flat wire railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 037	9 381 036	1 set

Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 300 and 400 mm cabinet width
- Pull-out shelves with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Installation between cabinet body sides
- Load capacity 10 kg
- Including 8 divider bars
- Pull-out unit, steel chrome plated or powder coated / HDF, divider bars, plastic, transparent or anthracite

Lario 400 pull-out unit




Set comprises:


- 1 pull-out unit, 2 tier, preassembled
- 2 front panel connectors
- 8 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no.		PU
		chrome plated / white	anthracite	
300	262 / 264 / 268	9 381 030	9 381 032	1 set
400	362 / 364 / 368	9 381 031	9 381 033	1 set

Planning dimensions



Divider bar set Lario 400



- Divider for clipping in, suitable for Lario 400 pull-out units with flat wire railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 037	9 381 036	1 set

Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 150 and 200 mm cabinet width
- Steel pull-out shelves with anti slip mat
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Can be mounted on left, right or diagonally
- Load capacity 10 kg
- Pull-out unit, powder coated steel, anti slip mat, plastic, anthracite

Lario 200 pull-out unit




Set comprises:



- 2 steel pull-out shelves
- 1 connecting strut
- 2 front panel connectors
- 2 anti slip mats

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
150	112 / 114 / 118	9 381 020	1 set
200	162 / 164 / 168	9 381 021	1 set

Planning dimensions



KB	LB
150	112 - 118
200	162 - 168



Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 300 and 400 mm cabinet width
- Steel pull-out shelves with anti slip mat
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Installation between cabinet body sides
- Load capacity 10 kg
- Pull-out unit, powder coated steel, anti slip mat, plastic, anthracite

Lario 200 pull-out unit




Set comprises:



- 2 steel pull-out shelves
- 4 connecting stays
- 2 front panel connectors
- 2 anti slip mats

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
300	262 / 264 / 268	9 381 028	1 set
400	362 / 364 / 368	9 381 029	1 set

Planning dimensions



KB	LB
300	262 - 268
400	362 - 368



KB	A
300	210
400	310

Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 150 and 200 mm cabinet width
- Metal baskets
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Can be mounted on left, right or diagonally
- Load capacity 10 kg
- Including 4 divider bars
- Pull-out unit, steel chrome plated, divider bars, plastic, transparent

Lario 100 pull-out unit




Set comprises:



- 1 pull-out unit, 2 tier, preassembled
- 2 front panel connectors
- 4 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
150	112 / 114 / 118	9 381 018	1 set
200	162 / 164 / 168	9 381 019	1 set


Planning dimensions



KB	LB
150	112 - 118
200	162 - 168



Divider bar set Lario 100



- Divider for clipping in, suitable for Lario 100 pull-out units with round railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 035	9 381 034	1 set

Base unit interior fittings

► Lario pull-out unit



- 2 tier pull-out unit for base units
- For 300 and 400 mm cabinet width
- Metal baskets
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Installation between the cabinet body sides
- Load capacity 10 kg
- Including 8 divider bars
- Pull-out unit, steel chrome plated, divider bars, plastic, transparent

Lario 100 pull-out unit




Set comprises:



- 1 pull-out unit, 2 tier, preassembled
- 2 front panel connectors
- 8 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
300	262 / 264 / 268	9 381 026	1 set
400	362 / 364 / 368	9 381 027	1 set


Planning dimensions



KB	LB
300	262 - 268
400	362 - 368



Divider bar set Lario 100



- Divider for clipping in, suitable for Lario 100 pull-out units with round railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 035	9 381 034	1 set


Base unit interior fittings

► Lario pull-out unit



- 3-tier pull-out unit for taller base units or in combination with 2-tier Lario pull-out unit for narrow tall units
- For 150 and 200 mm cabinet width
- Pull-out shelves with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Can be mounted on left, right or diagonally
- Load capacity 15 kg
- Including 8 divider bars
- Pull-out unit, steel chrome plated or powder coated / HDF, divider bars, plastic, transparent or anthracite

Lario 400 pull-out unit




Set comprises:


- 1 pull-out unit, 3 tier, preassembled
- 2 front panel connectors
- 8 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no.		PU
		chrome plated / white	anthracite	
150	112 / 114 / 118	9 381 014	9 381 016	1 set
200	162 / 164 / 168	9 381 015	9 381 017	1 set

Planning dimensions



Divider bar set Lario 400



- Divider for clipping in, suitable for Lario 400 pull-out units with flat wire railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 037	9 381 036	1 set

Base unit interior fittings


► Oira cleaning utensil pull-out

Cleaning utensil pull-out



- Complete with roller runners
- Mounts either left or right
- Load capacity 10 kg
- Including spacer washers for bridging door protrusion
- Cleaning product pull out, steel chrome plated or powder coated, roller runner, steel, galvanised, spacer washers, plastic

Order no. / Colour		PU
chrome plated	anthracite	
9 381 047	9 381 048	1 ea.




Base unit interior fittings

► Naro internal pot-and-pan drawer



- Internal pot-and-pan drawer for installation between cabinet body sides
- For 450 mm, 600 or 900 mm cabinet width
- Pull-out shelf with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Load capacity 15 kg per tray
- Including spacer profiles for bridging door protrusion
- Internal pot-and-pan drawer, steel chrome plated or powder coated / HDF, spacer profiles, plastic, transparent or anthracite

Naro 400 internal pot-and-pan drawer




Set comprises:



- 1 internal pot-and-pan drawer
- 1 pair of spacer profiles

For cabinet width mm	For inside cabinet body width mm	Order no.		PU
		chrome plated / white	anthracite	
450	412 / 414 / 418	9 381 041	9 381 044	1 set
600	562 / 564 / 568	9 381 042	9 381 045	1 set
900	862 / 864 / 868	9 381 043	9 381 046	1 set

Planning dimensions



KB	LB
450	412 - 418
600	562 - 568



Base unit interior fittings

► Naro internal pot-and-pan drawer



- Internal pot-and-pan drawer for installation between cabinet body sides
- For 450 mm, 600 or 900 mm cabinet width
- Steel pull-out shelves with anti slip mat
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately)
- Load capacity 15 kg per tray
- Including spacer profiles for bridging door protrusion
- Internal pot-and-pan drawer, powder coated steel, spacer profiles and anti slip mat, plastic, anthracite

Naro 200 internal pot-and-pan drawer




Set comprises:



- 1 internal pot-and-pan drawer
- 1 anti-slip mat
- 1 pair of spacer profiles

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
450	412 / 414 / 418	9 381 038	1 set
600	562 / 564 / 568	9 381 039	1 set
900	862 / 864 / 868	9 381 040	1 set

Planning dimensions



KB	LB
450	412 - 418
600	562 - 568



Corner unit equipment

- ▶ **Corner unit swivel pull-out**
- ▶ **Salso**



- ▶ Swivelling pull-out for installing behind hinged door
- ▶ Makes contents easy to access
- ▶ For corner units with 400, 450 / 500 or 600 mm front width
- ▶ Pull-out shelves can be swivelled out individually and adjusted in height
- ▶ Revolving column, height adjustable from 620 – 820 mm
- ▶ Including soft opening and soft closing

Set of fittings




- ▶ Revolving column, height adjustable for inside carcase height from 620 – 820 mm
- ▶ Support arms, including soft opening and soft closing
- ▶ Minimum inside cabinet body depth 465 mm
- ▶ For 400, 450 / 500 or 600 mm front panel width
- ▶ Available in left or right hand version
- ▶ Please order suitable pull-out shelf set separately
- ▶ Revolving column and support arms, steel powder coated

Set comprises:

- ▶ 1 revolving column, height adjustable
- ▶ 2 support arms, including soft opening and soft closing

Front panel width mm	Design	Order no. / Colour		PU
		silver	anthracite	
400	left	9 381 049	9 381 055	1 set
400	right	9 381 050	9 381 056	1 set
450/500	left	9 381 051	9 381 057	1 set
450/500	right	9 381 052	9 381 058	1 set
600	left	9 381 053	9 381 059	1 set
600	right	9 381 054	9 381 060	1 set


Sequence of movements (illustration shows a left-hand version):



Corner unit equipment

- ▶ Corner unit swivel pull-out
- ▶ Salso

Pull-out shelf set




- ▶ Pull-out shelf set for 400, 450, 500 or 600 mm front panel width
- ▶ Available in left or right hand version
- ▶ Load capacity 18 kg per tray
- ▶ Please order suitable set of fittings separately
- ▶ Pull-out shelf set 400: flat wire railing, steel chrome plated or powder coated, panel (16 mm) white or anthracite
- ▶ Pull-out shelf set 300: round railing, steel, chrome plated, panel (16 mm) white
- ▶ Pull-out shelf set 200: steel pull-out shelf, powder coated, anthracite, including anti slip mats, plastic, anthracite

Set comprises:

- ▶ 2 shelves
- ▶ 4 shelf supports
- ▶ 2 anti slip mats (with pull-out shelf set 200 only)

Front panel width mm	Design	Order no. / Article				PU
		1 Pull-out shelf set 400, chrome plated / white	2 Pull-out shelf set 400, anthrazit	3 Pull-out shelf set 300, chrome plated / white	4 Pull-out shelf set 200, anthrazit	
400	left	9 381 077	9 381 085	9 381 069	9 381 061	1 set
400	right	9 381 078	9 381 086	9 381 070	9 381 062	1 set
450	left	9 381 079	9 381 087	9 381 071	9 381 063	1 set
450	right	9 381 080	9 381 088	9 381 072	9 381 064	1 set
500	left	9 381 081	9 381 089	9 381 073	9 381 065	1 set
500	right	9 381 082	9 381 090	9 381 074	9 381 066	1 set
600	left	9 381 083	9 381 091	9 381 075	9 381 067	1 set
600	right	9 381 084	9 381 092	9 381 076	9 381 068	1 set


Pull-out shelves



Corner unit equipment



- ▶ Corner unit swivel pull-out
- ▶ Salso

Planning dimensions



	≥ A	≥ B
400	760	360
450	860	410
500	960	460
600	960	560

	≥ A	≥ B	C
400	760	360	338
450	860	410	388
500	960	460	438
600	960	560	538



Corner unit equipment

- ▶ **Corner unit pull-out system**
- ▶ **Orta**



- ▶ Corner pull-out for installation behind hinged doors
- ▶ The rear shelves can be pulled out individually
- ▶ For corner units with 400, 450, 500 or 600 mm front width
- ▶ Centre upright suitable for left hand and right hand door mounting
- ▶ Complete with Silent System
- ▶ Please order matching clip on shelves and baskets separately
- ▶ Powder coated steel

Centre upright




Set comprises:

- ▶ 1 centre upright, complete with runners, for use on left / right

Front panel width mm	Order no. / Colour		PU
	silver	anthracite	
400	9 381 093	9 381 097	1 set
450	9 381 094	9 381 098	1 set
500	9 381 095	9 381 099	1 set
600	9 381 096	9 381 100	1 set

Sequence of movements (the fitting is usable for left and right)



Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Orta

Pull-out shelf set 400




- ▶ Clip on shelves for Orta centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 11 kg per rear pull-out shelf
- ▶ HDF panel (5 mm), white or anthracite
- ▶ Flat wire railing, steel

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear

Front panel width mm	Order no. / Colour		PU
	chrome plated / white	anthracite	
400	9 381 109	9 381 113	1 set
450	9 381 110	9 381 114	1 set
500	9 381 111	9 381 115	1 set
600	9 381 112	9 381 116	1 set

Pull-out shelf set 200




- ▶ Clip on shelves for Orta centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 11 kg per rear pull-out shelf
- ▶ Steel pull-out shelf with anti slip mat
- ▶ Powder coated steel / plastic anthracite

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear
- ▶ 4 anti slip mats

Front panel width mm	Order no.	PU
400	9 381 105	1 set
450	9 381 106	1 set
500	9 381 107	1 set
600	9 381 108	1 set

Basket set 100



- ▶ Clip on baskets for Orta centre upright
- ▶ Loading capacity 7 kg per front basket, 11 kg per rear basket
- ▶ Steel, chrome plated

Set comprises:


- ▶ 2 clip on baskets at front
- ▶ 2 clip on baskets at rear

Front panel width mm	Order no.	PU
400	9 381 101	1 set
450	9 381 102	1 set
500	9 381 103	1 set
600	9 381 104	1 set



Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Orta

Planning dimensions



	$\geq A$	$\geq B$
400	725	340
450	755	385
550	795	420
600	945	535



Corner unit equipment

- ▶ **Corner unit pull-out system**
- ▶ **Goro**



- ▶ Corner pull-out for installing with pot-and-pan drawer
- ▶ For corner units with 450, 500 or 600 mm front width
- ▶ The front pull-out shelf is height adjustable
- ▶ Complete with Silent System
- ▶ Please order matching clip on shelves and baskets separately
- ▶ Powder coated steel

Centre upright



Set comprises:

- ▶ 1 centre upright, complete with drawer front connectors

Front panel width mm	Design	Order no. / Colour		PU
		silver	anthracite	
450	left	9 381 117	9 381 119	1 set
450	right	9 381 118	9 381 120	1 set


Sequence of movements (illustration shows a left-hand version):



Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Goro

Pull-out shelf set 400




- ▶ Clip on shelves for Goro centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 9 kg per rear pull-out shelf
- ▶ HDF panel (5 mm), white or anthracite
- ▶ Flat wire railing, steel

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear

Front panel width mm	Order no. / Colour		PU
	chrome plated / white	anthracite	
450	9 381 123	9 381 124	1 set

Pull-out shelf set 200




- ▶ Clip on shelves for Goro centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 9 kg per rear pull-out shelf
- ▶ Steel pull-out shelf with anti slip mat
- ▶ Powder coated steel / plastic anthracite

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear
- ▶ 4 anti slip mats

Front panel width mm	Order no.	PU
450	9 381 122	1 set

Basket set 100




- ▶ Clip on baskets for Goro centre upright
- ▶ Loading capacity 7 kg per front basket, 9 kg per rear basket
- ▶ Steel, chrome plated

Set comprises:

- ▶ 2 clip on baskets at front
- ▶ 2 clip on baskets at rear

Front panel width mm	Order no.	PU
450	9 381 121	1 set

Planning dimensions



Interior fittings for larder units

► Olona pull-out unit



- Pull-out unit with integrated Silent System
- Contents can be accessed from both sides
- Full pull-out
- Shelves / baskets height adjustable
- Contents are clearly arranged and compactly stored

Centre upright

- Suitable for cabinet widths 300 and 400 mm
- Adjustable in height by 350 mm
- Pull-out and shelves / baskets must be ordered separately
- Powder coated steel

Set comprises:

- 1 height adjustable centre upright
- 4 front holders

Centre upright

For cabinet width mm	Minimum inside cabinet width mm	Inside cabinet body height mm	Order no. / Colour		PU
			silver	anthracite	
300	257	1600 - 1950	9 380 992	9 380 994	1 set
400	357	1600 - 1950	9 380 993	9 380 995	1 set
300	257	1900 - 2250	9 380 996	9 380 998	1 set
400	357	1900 - 2250	9 380 997	9 380 999	1 set

Full extension runner with Silent System and soft opening



- Complete with Silent System
- Additionally with soft opening
- Minimum inside cabinet body depth 504 mm
- For centre mounted Olona centre upright
- Load capacity 100 kg
- Powder coated steel

Colour	Order no.	PU
silver	9 380 990	1 set
anthracite	9 380 991	1 set

Interior fittings for larder units

► Olona pull-out unit

Full extension runner with Silent System



- Complete with Silent System
- For centre mounted Olona centre upright
- Minimum inside cabinet body depth 494 mm
- Load capacity 100 kg
- Powder coated steel

Colour	Order no.	PU
silver	9 380 988	1 set
anthracite	9 380 989	1 set

Clip on shelf 400



- For hooking into Olona centre upright
- HDF panel (5 mm), white or anthracite
- Flat wire railing, steel

For cabinet body width mm	Order no. / Colour chrome plated / white anthracite		PU
300	9 381 004	9 381 006	1 ea.
400	9 381 005	9 381 007	1 ea.




Clip on shelf 200



- For hooking into Olona centre upright
- Steel pull-out shelf with anti slip mat
- Powder coated steel / plastic anthracite

For cabinet body width mm	Order no.	PU
300	9 381 002	1 ea.
400	9 381 003	1 ea.

Clip on basket 100





- For hooking into Olona centre upright
- With double railing
- Steel, chrome plated


For cabinet body width mm	Order no.	PU
300	9 381 000	1 ea.
400	9 381 001	1 ea.







Interior fittings for larder units

► Olona pull-out unit

Planning dimensions





	D mm
9380988 / 9380989	≥ 494
9380990 / 9380991	≥ 504



W mm	A mm
300	230
400	330

H mm	B mm
1600 - 1950	1098
1900 - 2250	1419



Interior fittings for larder units

► Iseo turning/swivelling pull-out



- Swivelling pull-out for larder units
- Door and pull-out shelf ensure full use of the space available
- The pull-out shelf is pulled forwards when the door is opened
- Creates enormous storage space and well arranged storage unit
- Direct access to everything in the cupboard
- Can also be used for 2 door larder units without centre panel

Frame set



- All inclusive set of fittings (without pull-out shelves)
- Can be mounted either left or right
- Minimum inside cabinet body depth 495 mm
- Minimum inside cabinet body height 1695 mm
- Please order pull-out shelves separately
- Powder coated steel

Set comprises:


- 1 pull-out frame
- 1 door frame
- 1 pull-out mechanism incl. guides
- Fixing brackets

For cabinet body width mm	Order no. / Colour		PU
	silver	anthracite	
600	9 381 008	9 381 009	1 set

Interior fittings for larger units

► Iseo turning/swivelling pull-out

Pull-out shelf set 400




- For hooking into the Iseo pull-out frame or into the Iseo door open shelf element
- HDF panel (5 mm), white or anthracite
- Flat wire railing, steel

Set comprises:

- 2 pull-out shelves for the pull-out frame (each with 10 kg load capacity)
- 2 pull-out shelves for the door open shelf element (each with 5 kg load capacity)

For cabinet body width mm	Order no. / Colour		PU
	chrome plated / white	anthracite	
600	9 381 010	9 381 011	1 set

Pull-out shelf set 200



- For hooking into the Iseo pull-out frame or into the Iseo door open shelf element
- Steel pull-out shelf with anti slip mat
- Powder coated steel / plastic anthracite

Set comprises:

- 2 pull-out shelves for the pull-out frame (each with 10 kg load capacity)
- 2 pull-out shelves for the door open shelf element (each with 5 kg load capacity)
- 4 anti slip mats

For cabinet body width mm	Order no.	PU
600	9 381 012	1 set

- ▶ Iseo turning/swivelling pull-out

Dimensions:

- Height: ≥ 1695
- Depth: ≥ 405 , ≥ 555
- Width: ≥ 495
- Internal height: ≥ 1680
- Top panel thickness: $\leq 115^\circ$


Weight Capacity:

Shelf + Bracket = $\leq 85 \text{ kg}$

Assembly Details:

- Shelf bracket installation: Shows correct placement (A, B, C) and incorrect placement (X).
- Shelf dimensions: A=30, B=30, C=30, D=30, E=30, F=30, G=30, H=30, I=30, J=30.
- Shelf bracket dimensions: A=30, B=30, C=30, D=30, E=30, F=30, G=30, H=30, I=30, J=30.
- Shelf bracket types: A, B, C.

W mm	450	600
A	204	279
B	194	269
C	404	554



IT'S ALL
IN HETTICH

